






		OPENING							
		28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"
		[725]	[825]	[925]	[1025]	[1225]	[1425]	[1625]	[1825]
		27 9/16"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"
		[700]	[800]	[900]	[1000]	[1200]	[1400]	[1600]	[1800]
		11 1/2"	13 7/16"	15 7/16"	17 3/8"	21 5/16"	25 1/4"	29 3/16"	33 1/8"
		[292]	[342]	[392]	[442]	[542]	[642]	[742]	[842]
		FRAME							
		GLASS							
16 3/4"	15 3/4"	 PSS0704	 PSS0804	 PSS0904	 PSS1004	 PSS1204			
[425]	[400]								
20 11/16"	19 11/16"	 PSS0705	 PSS0805	 PSS0905	 PSS1005	 PSS1205	 PSS1405	 PSS1605	
[525]	[500]								
24 5/8"	23 5/8"	 PSS0706	 PSS0806	 PSS0906	 PSS1006	 PSS1206	 PSS1406	 PSS1606	 PSS1806 Ec
[625]	[600]								
28 9/16"	27 9/16"	 PSS0707	 PSS0807	 PSS0907	 PSS1007	 PSS1207	 PSS1407	 PSS1607 Ec	 PSS1807 Ec
[725]	[700]								
32 1/2"	31 1/2"	 PSS0708	 PSS0808	 PSS0908	 PSS1008	 PSS1208	 PSS1408 Ec	 PSS1608 E1	 PSS1808 E2
[825]	[800]								
36 7/16"	35 7/16"	 PSS0709	 PSS0809	 PSS0909	 PSS1009	 PSS1209 Ec	 PSS1409 Ec	 PSS1609 E2	 PSS1809 E2
[925]	[900]								
40 3/8"	39 3/8"	 PSS0710	 PSS0810	 PSS0910	 PSS1010	 PSS1210 Ec	 PSS1410	 PSS1610 E2	 PSS1810 E2
[1025]	[1000]								
48 1/4"	47 1/4"	 PSS0812	 PSS0912	 PSS1012	 PSS1212 Ec	 PSS1412 E2	 PSS1612 E2	 PSS1812 E2	
[1225]	[1200]								
60 1/16"	59 1/16"		 PSS0915	 PSS1015	 PSS1215 Ec	 PSS1415 E2	 PSS1615 E2	 PSS1815 E2	
[1525]	[1500]								
55 1/8"	54 1/8"								
[1400]	[1400]								

Egress Note:






Ec = Window meets the 2006 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).

E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).

OPENING FRAME GLASS		FIXED PICTURE SINGLE SLIDER COMBINATIONS				
		40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]
		39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	63" [1600]	70 7/8" [1800]
		36 7/8" / 17 3/8" [937] / [442]	44 3/4" / 21 5/16" [1137] / [542]	52 5/8" / 25 1/4" [1337] / [642]	60 1/2" / 29 3/16" [1537] / [742]	68 3/8" / 33 1/8" [1737] / [842]
64" [1625]	63" [1600]	 PSSP1016	 PSSP1216	 PSSP1416	 PSSP1616	 PSSP1816
71 7/8" [1825]	70 7/8" [1800]	 PSSP1018	 PSSP1218	 PSSP1418	 PSSP1618	 PSSP1818

SLIDER END VENTS


OPENING FRAME GLASS		71 7/8" [1825]	79 3/4" [2025]	87 5/8" [2225]	95 1/2" [2425]	103 3/8" [2625]
		70 7/8" [1800]	78 3/4" [2000]	86 5/8" [2200]	94 1/2" [2400]	102 3/8" [2600]
		16 7/16" / 32 13/16" / 16 7/16" [417] / [834] / [417]	44 3/4" / 21 5/16" [1137] / [542]	52 5/8" / 25 1/4" [1337] / [642]	60 1/2" / 29 3/16" [1537] / [742]	68 3/8" / 33 1/8" [1737] / [842]
24 5/8" [625]	23 5/8" [600]	 PSEV1806	 PSEV2006	 PSEV2206	 PSEV2406	 PSEV2606
36 7/16" [925]	35 7/16" [900]	 PSEV1809	 PSEV2009	 PSEV2209	 PSEV2409	 PSEV2609
40 3/8" [1025]	39 3/8" [1000]	 PSEV1810	 PSEV2010	 PSEV2210	 PSEV2410	 PSEV2610
48 1/4" [1225]	47 1/4" [1200]	 PSEV1812	 PSEV2012	 PSEV2212	 PSEV2412	 PSEV2612
60 1/16" [1525]	59 1/16" [1500]	 PSEV1815	 PSEV2015	 PSEV2215	 PSEV2415	 PSEV2615

Egress Note:

Ec = Window meets the 2006 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).


SCALE: 6" = 1'-0"

VERTICAL SECTION



SCALE: 6" = 1'-0"

HORIZONTAL SECTION




OPERATING JAMB

CHECKRAIL

FIXED JAMB



SCALE: 3" = 1'-0"

VERTICAL JOINING MULLIONS




SCALE: 3" = 1'-0"

HORIZONTAL JOINING MULLIONS




SCALE: 3" = 1'-0"


END VENT HORIZONTAL SECTION




SCALE: 6" = 1'-0"




INTERIOR SLOT COVER




SILL NOSE AND BRICKMOULDS




MASONRY CLIP



NAILING FIN



JAMB EXTENSIONS



JAMB EXTENSION WITH
INSTALLATION BRACKET