

		20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	44 5/16" [1125]	48 1/4" [1225]	
OPENING		19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	43 5/16" [1100]	47 1/4" [1200]	
FRAME		13 13/16" [350.5]	17 3/4" [450.5]	21 11/16" [550.5]	25 5/8" [650.5]	29 9/16" [750.5]	33 1/2" [850.5]	37 7/16" [950.5]	41 3/8" [1050.5]	UPPER SASH
GLASS		14 15/16" [379]	18 7/8" [479]	22 13/16" [579]	26 3/4" [679]	30 11/16" [779]	34 5/8" [879]	38 9/16" [979]	42 1/2" [1079]	LOWER SASH

36 7/16" [925]	35 7/16" [900]	15 1/16" [383]								
40 3/8" [1025]	39 3/8" [1000]	17 1/16" [433]								
48 1/4" [1225]	47 1/4" [1200]	21" [533]								
56 1/8" [1425]	55 1/8" [1400]	24 15/16" [633]								
60 1/16" [1525]	59 1/16" [1500]	26 7/8" [683]								
64" [1625]	63" [1600]	28 7/8" [733]								
71 7/8" [1825]	70 7/8" [1800]	32 13/16" [833]								
77 3/4" [1975]	76 3/4" [1950]	35 3/4" [908]								

Egress Note:

Ec = Window meets the 2006 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).

E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).