




















































		28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]
		27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	63" [1600]	70 7/8" [1800]
		10 7/8" [275.5]	12 13/16" [325.5]	14 13/16" [375.5]	16 3/4" [425.5]	20 11/16" [525.5]	24 5/8" [625.5]	28 9/16" [725.5]	32 1/2" [825.5]
OPENING	20 11/16" [525]								
	24 5/8" [625]								 Ec
	32 1/2" [825]						 Ec	 Ec	 E1
	36 7/16" [925]					 Ec	 Ec	 E1	 E2
	40 3/8" [1025]					 Ec	 E1	 E2	 E2
	48 1/4" [1225]					 Ec	 E2	 E2	 E2
	60 1/16" [1525]					 Ec	 E2	 E2	 E2
	59 1/16" [1500]								
	53 1/8" [1350]								
	54 1/4" [1378]								
OUTER SASH									
INNER SASH									
FRAME									
GLASS									

Egress Note:

- Ec = Window meets the 2006 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).