



OPENING		16-3/4" [425]	20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]
FRAME		15 3/4" [400]	19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]
GLASS		11 1/8" [282]	15 1/16" [382]	19" [482]	22 15/16" [582]	26 7/8" [682]	30 13/16" [782]
FIXED UNITS							
16 3/4" [425]	15 3/4" [400]	AC0404	AC0504	AC0604	AC0704	AC0804	AC0904
20 11/16" [525]	19 11/16" [500]	AC0405	AC0505	AC0605	AC0705	AC0805	AC0905
24 5/8" [625]	23 5/8" [600]	AC0406	AC0506	AC0606	AC0706	AC0806	AC0906
32 1/2" [825]	31 1/2" [800]	AC0408	AC0508	AC0608	AC0708	AC0808 EC	AC0908
36 7/16" [925]	35 7/16" [900]	AC0409	AC0509	AC0609	AC0709 EC	AC0809 EC	AC0909 EC
40 3/8" [1025]	39 3/8" [1000]	AC0410	AC0510	AC0610 EC*	AC0710 EC	AC0810 EC	AC0910 EC
48 1/4" [1225]	47 1/4" [1200]	AC0412	AC0512	AC0612 EC*	AC0712 EC*	AC0812 EC	AC0912 EC
56 1/8" [1425]	55 1/8" [1400]	AC0414	AC0514	AC0614 EC*	AC0714 EC*	AC0814 EC	AC0914 EC
60 1/16" [1525]	59 1/16" [1500]	AC0415	AC0515	AC0615 EC*	AC0715 EC*	AC0815 EC	AC0915 EC
64" [1625]	63" [1600]	AC0416	AC0516	AC0616 EC*	AC0716 EC*	AC0816 EC	AC0916 EC
71 7/8" [1825]	70 7/8" [1800]	AC0418	AC0518	AC0618 EC*	AC0718 EC*	AC0818 EC	AC0918 EC
77 3/4" [1975]	76 3/4" [1950]	AC041950	AC051950	AC061950 EC*	AC071950 EC*	AC081950 EC	AC091950
OPERATING OR FIXED UNITS							
10 9/16" [269]	14 1/2" [369]						
18 7/16" [469]	26 5/16" [669]						
30 1/4" [769]	34 3/16" [869]						
42 1/16" [1069]	49 15/16" [1269]						
53 7/8" [1369]	57 13/16" [1469]						
65 11/16" [1669]							

Egress Note:





















EC = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

* = The window will meet that egress requirement when the optional Egress Hinge is ordered on the window (the Egress Hinge will restrict the sash's opening to approximately 85°).



**GOLDEN
WINDOWS**
LIMITED

GOLDENCLAD CASEMENT WINDOWS ELEVATIONS

			40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]
			39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	63" [1600]	70 7/8" [1800]
			34 3/4" [882]	42 5/8" [1082]	50 1/2" [1282]	58 3/8" [1482]	66 1/4" [1682]
			FIXED UNITS				
OPENING	FRAME	GLASS	 AC1004	 AC1204	 AC1404	 AC1604	 AC1804
			 AC1005	 AC1205	 AC1405	 AC1605	 AC1805
			 AC1006	 AC1206	 AC1406	 AC1606	 AC1806
			 AC1008	 AC1208	 AC1408	 AC1608	 AC1808
			 AC1009	 AC1209	 AC1409	 AC1609	 AC1809
			 AC1010	 AC1210	 AC1410	 AC1610	 AC1810
			 AC1012	 AC1212	 AC1412	 AC1612	 AC1812
			 AC1014	 AC1214	 AC1414	 AC1614	 AC1814
			 AC1015	 AC1215	 AC1415	 AC1615	 AC1815
			 AC1016	 AC1216	 AC1416	 AC1616	 AC1816
16 3/4" [425]	15 3/4" [400]	10 9/16" [269]					
20 11/16" [525]	19 11/16" [500]	14 1/2" [369]					
24 5/8" [625]	23 5/8" [600]	18 7/16" [469]					
32 1/2" [825]	31 1/2" [800]	26 5/16" [669]					
36 7/16" [925]	35 7/16" [900]	30 1/4" [769]					
40 3/8" [1025]	39 3/8" [1000]	34 3/16" [869]					
48 1/4" [1225]	47 1/4" [1200]	42 1/16" [1069]					
56 1/8" [1425]	55 1/8" [1400]	49 15/16" [1269]					
64" [1625]	63" [1600]	57 13/16" [1469]					
71 7/8" [1825]	70 7/8" [1800]	65 11/16" [1669]					
77 3/4" [1975]	76 3/4" [1950]	71 5/8" [1819]	 AC101950	 AC121950	 AC141950	 AC161950	


























OPENING		16-3/4" [425]	20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]
FRAME		15 3/4" [400]	19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]
GLASS		11 1/8" [282]	15 1/16" [382]	19" [482]	22 15/16" [582]	26 7/8" [682]	30 13/16" [782]
FIXED UNITS							
16 3/4" [425]	15 3/4" [400]	 AC0404	 AC0504	 AC0604	 AC0704	 AC0804	 AC0904
20 11/16" [525]	19 11/16" [500]	 AC0405	 AC0505	 AC0605	 AC0705	 AC0805	 AC0905
24 5/8" [625]	23 5/8" [600]	 AC0406	 AC0506	 AC0606	 AC0706	 AC0806	 AC0906
32 1/2" [825]	31 1/2" [800]	 AC0408	 AC0508	 AC0608	 AC0708	 AC0808 EC	 AC0908
36 7/16" [925]	35 7/16" [900]	 AC0409	 AC0509	 AC0609	 AC0709 EC	 AC0809 EC	 AC0909 EC
40 3/8" [1025]	39 3/8" [1000]	 AC0410	 AC0510	 AC0610 EC*	 AC0710 EC	 AC0810 EC	 AC0910 EC
48 1/4" [1225]	47 1/4" [1200]	 AC0412	 AC0512	 AC0612 EC*	 AC0712 EC*	 AC0812 EC	 AC0912 EC
56 1/8" [1425]	55 1/8" [1400]	 AC0414	 AC0514	 AC0614 EC*	 AC0714 EC*	 AC0814 EC	 AC0914 EC
60 1/16" [1525]	59 1/16" [1500]	 AC0415	 AC0515	 AC0615 EC*	 AC0715 EC*	 AC0815 EC	 AC0915 EC
64" [1625]	63" [1600]	 AC0416	 AC0516	 AC0616 EC*	 AC0716 EC*	 AC0816 EC	 AC0916 EC
71 7/8" [1825]	70 7/8" [1800]	 AC0418	 AC0518	 AC0618 EC*	 AC0718 EC*	 AC0818 EC	 AC0918 EC
77 3/4" [1975]	76 3/4" [1950]	 AC041950	 AC051950	 AC061950 EC*	 AC071950 EC*	 AC081950 EC	 AC091950
71 5/8" [1819]	71 5/8" [1819]						
OPERATING OR FIXED UNITS							

Egress Note:

EC = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

* = The window will meet that egress requirement when the optional Egress Hinge is ordered on the window (the Egress Hinge will restrict the sash's opening to approximately 85°).





















OPENING	FRAME	GLASS	FIXED UNITS				
			40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]
			39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	63" [1600]	70 7/8" [1800]
			34 3/4" [882]	42 5/8" [1082]	50 1/2" [1282]	58 3/8" [1482]	66 1/4" [1682]
16 3/4" [425]	20 11/16" [525]	15 3/4" [400]	 AC1004	 AC1204	 AC1404	 AC1604	 AC1804
24 5/8" [625]	28 11/16" [725]	23 5/8" [600]	 AC1005	 AC1205	 AC1405	 AC1605	 AC1805
32 1/2" [825]	36 7/16" [925]	31 1/2" [800]	 AC1006	 AC1206	 AC1406	 AC1606	 AC1806
36 7/16" [925]	40 3/8" [1025]	35 7/16" [900]	 AC1008	 AC1208	 AC1408	 AC1608	 AC1808
40 3/8" [1025]	44 1/4" [1125]	39 3/8" [1000]	 AC1009	 AC1209	 AC1409	 AC1609	 AC1809
48 1/4" [1225]	48 1/4" [1225]	47 1/4" [1200]	 AC1010	 AC1210	 AC1410	 AC1610	 AC1810
56 1/8" [1425]	52 1/8" [1325]	55 1/8" [1400]	 AC1012	 AC1212	 AC1412	 AC1612	 AC1812
60 1/16" [1525]	56 1/8" [1425]	49 15/16" [1289]	 AC1014	 AC1214	 AC1414	 AC1614	 AC1814
64" [1625]	60 1/16" [1525]	53 7/8" [1369]	 AC1015	 AC1215	 AC1415	 AC1615	 AC1815
71 7/8" [1825]	64" [1625]	57 13/16" [1469]	 AC1016	 AC1216	 AC1416	 AC1616	 AC1816
76 3/4" [1950]	71 7/8" [1800]	65 11/16" [1669]	 AC1018	 AC1218	 AC1418	 AC1618	
77 3/4" [1975]	76 3/4" [1950]	71 5/8" [1819]	 AC101950	 AC121950	 AC141950	 AC161950	

		16-3/4" [425]	20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]
OPENING		15 3/4" [400]	19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]
FRAME		11 1/8" [282]	15 1/16" [382]	19" [482]	22 15/16" [582]	26 7/8" [682]	30 13/16" [782]
GLASS							
		FIXED UNITS					
16 3/4" [425]	15 3/4" [400]	 AC0404	 AC0504	 AC0604	 AC0704	 AC0804	 AC0904
20 11/16" [525]	19 11/16" [500]	 AC0405	 AC0505	 AC0605	 AC0705	 AC0805	 AC0905
24 5/8" [625]	23 5/8" [600]	 AC0406	 AC0506	 AC0606	 AC0706	 AC0806	 AC0906
32 1/2" [825]	31 1/2" [800]	 AC0408	 AC0508	 AC0608	 AC0708	 AC0808	 AC0908
36 7/16" [925]	35 7/16" [900]	 AC0409	 AC0509	 AC0609	 AC0709	 AC0809	 AC0909
40 3/8" [1025]	39 3/8" [1000]	 AC0410	 AC0510	 AC0610	 AC0710	 AC0810	 AC0910
48 1/4" [1225]	47 1/4" [1200]	 AC0412	 AC0512	 AC0612	 AC0712	 AC0812	 AC0912
56 1/8" [1425]	55 1/8" [1400]	 AC0414	 AC0514	 AC0614	 AC0714	 AC0814	 AC0914
60 1/16" [1525]	59 1/16" [1500]	 AC0415	 AC0515	 AC0615	 AC0715	 AC0815	 AC0915
64" [1625]	63" [1600]	 AC0416	 AC0516	 AC0616	 AC0716	 AC0816	 AC0916
71 7/8" [1825]	70 7/8" [1800]	 AC0418	 AC0518	 AC0618	 AC0718	 AC0818	 AC0918
77 3/4" [1975]	76 3/4" [1950]	 AC041950	 AC051950	 AC061950	 AC071950	 AC081950	 AC091950
	71 5/8" [1819]						
OPERATING OR FIXED UNITS							

Egress Note:

EC = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

* = The window will meet that egress requirement when the optional Egress Hinge is ordered on the window (the Egress Hinge will restrict the sash's opening to approximately 85°).

OPENING		40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"
		[1025]	[1225]	[1425]	[1625]	[1825]
		39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"
FRAME		[1000]	[1200]	[1400]	[1600]	[1800]
		34 3/4"	42 5/8"	50 1/2"	58 3/8"	66 1/4"
GLASS		[882]	[1082]	[1282]	[1482]	[1682]
		FIXED UNITS				
16 3/4"	[425]	 AC1004	 AC1204	 AC1404	 AC1604	 AC1804
20 11/16"	[525]	 AC1005	 AC1205	 AC1405	 AC1605	 AC1805
24 5/8"	[625]	 AC1006	 AC1206	 AC1406	 AC1606	 AC1806
32 1/2"	[825]	 AC1008	 AC1208	 AC1408	 AC1608	 AC1808
36 7/16"	[925]	 AC1009	 AC1209	 AC1409	 AC1609	 AC1809
40 3/8"	[1025]	 AC1010	 AC1210	 AC1410	 AC1610	 AC1810
48 1/4"	[1225]	 AC1012	 AC1212	 AC1412	 AC1612	 AC1812
56 1/8"	[1425]	 AC1014	 AC1214	 AC1414	 AC1614	 AC1814
60 1/16"	[1525]	 AC1015	 AC1215	 AC1415	 AC1615	 AC1815
64"	[1625]	 AC1016	 AC1216	 AC1416	 AC1616	 AC1816
71 7/8"	[1825]	 AC1018	 AC1218	 AC1418	 AC1618	
77 3/4"	[1975]	 AC101950	 AC121950	 AC141950	 AC161950	



**GOLDEN
WINDOWS**
LIMITED

















GOLDENCLAD CASEMENT WINDOWS MUSKOKA ELEVATIONS

OPENING FRAME GLASS		16-3/4" [425]	20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]
		15 3/4" [400]	19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]
		11 1/8" [282]	15 1/16" [382]	19" [482]	22 15/16" [582]	26 7/8" [682]	30 13/16" [782]
FIXED UNITS							
OPERATING OR FIXED UNITS	16 3/4" [425]	AC0404	AC0504	AC0604	AC0704	AC0804	AC0904
	20 11/16" [525]	AC0405	AC0505	AC0605	AC0705	AC0805	AC0905
	24 5/8" [625]	AC0406	AC0506	AC0606	AC0706	AC0806	AC0906
	32 1/2" [825]	AC0408	AC0508	AC0608	AC0708	AC0808 EC	AC0908
	36 7/16" [925]	AC0409	AC0509	AC0609	AC0709 EC	AC0809 EC	AC0909 EC
	40 3/8" [1025]	AC0410	AC0510	AC0610 EC*	AC0710 EC	AC0810 EC	AC0910 EC
	48 1/4" [1225]	AC0412	AC0512	AC0612 EC*	AC0712 EC*	AC0812 EC	AC0912 EC
	56 1/8" [1425]	AC0414	AC0514	AC0614 EC*	AC0714 EC*	AC0814 EC	AC0914 EC
	60 1/16" [1525]	AC0415	AC0515	AC0615 EC*	AC0715 EC*	AC0815 EC	AC0915 EC
	64" [1625]	AC0416	AC0516	AC0616 EC*	AC0716 EC*	AC0816 EC	AC0916 EC
	71 7/8" [1825]	AC0418	AC0518	AC0618 EC*	AC0718 EC*	AC0818 EC	AC0918 EC
	77 3/4" [1975]	AC041950	AC051950	AC061950 EC*	AC071950 EC*	AC081950 EC	AC091950
	15 3/4" [400]						
	19 11/16" [500]						
	23 5/8" [600]						
	27 9/16" [700]						
	31 1/2" [800]						
	35 7/16" [900]						

Egress Note:

EC = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

* = The window will meet that egress requirement when the optional Egress Hinge is ordered on the window (the Egress Hinge will restrict the sash's opening to approximately 85°).

		OPENING					FRAME					GLASS				
		40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]	39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	63" [1600]	70 7/8" [1800]	34 3/4" [882]	42 5/8" [1082]	50 1/2" [1282]	58 3/8" [1482]	66 1/4" [1682]
		16 3/4" [425]	20 11/16" [525]	24 5/8" [625]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	60 1/16" [1525]	64" [1625]	71 7/8" [1825]	77 3/4" [1975]			
		15 3/4" [400]	19 11/16" [500]	23 5/8" [600]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	59 1/16" [1500]	63" [1600]	70 7/8" [1800]	76 3/4" [1950]			
		10 9/16" [269]	14 1/2" [369]	18 7/16" [469]	26 5/16" [669]	30 1/4" [769]	34 3/16" [869]	42 1/16" [1069]	49 15/16" [1269]	53 7/8" [1369]	57 13/16" [1469]	65 11/16" [1669]	71 5/8" [1819]			
FIXED UNITS																
																
		AC1004	AC1204	AC1404	AC1604	AC1804										
																
		AC1005	AC1205	AC1405	AC1605	AC1805										
																
		AC1006	AC1206	AC1406	AC1606	AC1806										
																
		AC1008	AC1208	AC1408	AC1608	AC1808										
																
		AC1009	AC1209	AC1409	AC1609	AC1809										
																
		AC1010	AC1210	AC1410	AC1610	AC1810										
																
		AC1012	AC1212	AC1412	AC1612	AC1812										
																
		AC1014	AC1214	AC1414	AC1614	AC1814										
																
		AC1015	AC1215	AC1415	AC1615	AC1815										
																
		AC1016	AC1216	AC1416	AC1616	AC1816										
																
		AC1018	AC1218	AC1418	AC1618											
																
		AC101950	AC121950	AC141950	AC161950											