

GOLDENCLAD DOUBLE HUNG WINDOWS ELEVATIONS

OPENING FRAME GLASS		24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	44 5/16" [1125]	48 1/4" [1225]
		23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	43 5/16" [1100]	47 1/4" [1200]
		17 5/8" [447]	21 9/16" [547]	25 1/2" [647]	29 7/16" [747]	33 3/8" [847]	37 5/16" [947]	41 1/4" [1047]
	FIXED TRANSOM UNITS							
	OPERATING UNITS							
16 3/4" [425]								
20 11/16" [525]								
24 5/8" [625]								
36 7/16" [925]								
40 3/8" [1025]								
48 1/4" [1225]					 Ec	 Ec	 Ec	 Ec
56 7/8" [1425]			 Ec	 Ec	 Ec	 Ec	 Ec	 Ec
60 1/16" [1525]			 Ec	 Ec	 Ec	 Ec	 Ec	 Ec
64" [1625]			 Ec	 E1	 E2	 E2	 E2	 E2
71 7/8" [1825]		 Ec	 Ec	 E2	 E2	 E2	 E2	 E2
77 3/4" [1975]		 Ec	 E1	 E2	 E2	 E2	 E2	

Egress Note:

- Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).

GOLDENCLAD DOUBLE HUNG WINDOWS ELEVATIONS

OPENING		FRAME		GLASS	
40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]	
39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	63" [1600]	70 7/8" [1800]	
33 3/8" [847]	41 1/4" [1047]	49 1/8" [1247]	56 15/16" [1447]	64 13/16" [1647]	
FIXED TRANSOM UNITS					
ADHT1004	ADHT1204	ADHT1404	ADHT1604	ADHT1804	
ADHT1005	ADHT1205	ADHT1405	ADHT1605	ADHT1805	
ADHT1006	ADHT1206	ADHT1406	ADHT1606	ADHT1806	
FIXED PICTURE UNITS					
ADHF1009	ADHF1209	ADHF1409	ADHF1609	ADHF1809	
ADHF1010	ADHF1210	ADHF1410	ADHF1610	ADHF1810	
ADHF1012	ADHF1212	ADHF1412	ADHF1612	ADHF1812	
ADHF1014	ADHF1214	ADHF1414	ADHF1614	ADHF1814	
ADHF1015	ADHF1215	ADHF1415	ADHF1615	ADHF1815	
ADHF1016	ADHF1216	ADHF1416	ADHF1616	ADHF1816	
ADHF1018	ADHF1218	ADHF1418	ADHF1618		
ADHF101950	ADHF121950	ADHF141950	ADHF161950		







SCALE: 1/8" = 1'-0"

GOLDENCLAD DOUBLE HUNG WINDOWS COTTAGE STYLE ELEVATIONS

OPENING		FRAME		GLASS		OPERATING UNITS						
50 3/16" [1275]	49 3/16" [1250]	27 9/16" [700]	13 3/4" [350]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	44 5/16" [1125]	48 1/4" [1225]		
56 1/8" [1425]	55 1/8" [1400]	27 9/16" [700]	19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	43 5/16" [1100]	47 1/4" [1200]		
66 15/16" [1700]	65 15/16" [1675]	34 7/16" [875]	23 5/8" [600]	ADH061675C	ADH071675C	ADH081675C	ADH091675C	ADH101675C	ADH111675C	ADH121675C		
				ADH0614C	ADH0714C	ADH0814C	ADH0914C	ADH1014C	ADH1114C	ADH1214C		
				ADH061250C	ADH071250C	ADH081250C	ADH091250C	ADH101250C	ADH111250C	ADH121250C		

Egress Note:

- Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).

OPENING		FIXED PICTURE UNITS					
		GLASS					
		FRAME					
50 3/16" [1275]	49 3/16" [1250]	27 9/16" [1086]					
56 1/8" [1425]	55 1/8" [1400]	48 11/16" [1236]					
66 15/16" [1700]	65 15/16" [1675]	59 1/2" [1511]					
							
			ADHF101250C	ADHF121250C	ADHF141250C	ADHF161250C	ADHF181250C
							
			ADHF1014C	ADHF1214C	ADHF1414C	ADHF1614C	ADHF1814C
							
			ADHF101675C	ADHF121675C	ADHF141675C	ADHF161675C	ADHF181675C
						</	

GOLDENCLAD DOUBLE HUNG WINDOWS COLONIAL ELEVATIONS

OPENING FRAME GLASS		24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	44 5/16"	48 1/4"
		[625]	[725]	[825]	[925]	[1025]	[1125]	[1225]
		23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	43 5/16"	47 1/4"
		[600]	[700]	[800]	[900]	[1000]	[1100]	[1200]
		17 5/8"	21 9/16"	25 1/2"	29 7/16"	33 3/8"	37 5/16"	41 1/4"
		[447]	[547]	[647]	[747]	[847]	[947]	[1047]
FIXED TRANSOM UNITS								
OPERATING UNITS	16 3/4" [425]							
		ADHT0604	ADHT0704	ADHT0804	ADHT0904	ADHT1004	ADHT1104	ADHT1204
	20 11/16" [525]							
		ADHT0605	ADHT0705	ADHT0805	ADHT0905	ADHT1005	ADHT1105	ADHT1205
	19 11/16" [500]							
		ADHT0606	ADHT0706	ADHT0806	ADHT0906	ADHT1006	ADHT1106	ADHT1206
	24 5/8" [625]							
		ADH0609	ADH0709	ADH0809	ADH0909	ADH1009	ADH1109	
	23 5/8" [600]							
		ADH0610	ADH0710	ADH0810	ADH0910	ADH1010	ADH1110	
	36 7/16" [925]							
		ADH0612	ADH0712	ADH0812	ADH0912	ADH1012	ADH1112	ADH1212
	40 3/8" [1025]							
		ADH0614	ADH0714	ADH0814	ADH0914	ADH1014	ADH1114	ADH1214
	35 7/16" [900]							
		ADH0615	ADH0715	ADH0815	ADH0915	ADH1015	ADH1115	ADH1215
	39 3/8" [1000]							
		ADH0616	ADH0716	ADH0816	ADH0916	ADH1016	ADH1116	ADH1216
	48 1/4" [1225]							
		ADH0618	ADH0718	ADH0818	ADH0918	ADH1018	ADH1118	ADH1218
	24 5/8" [625]							
		ADH061950	ADH071950	ADH081950	ADH091950	ADH101950	ADH111950	
	23 5/8" [600]							
		ADH061950	ADH071950	ADH081950	ADH091950	ADH101950	ADH111950	
	21 9/16" [547]							
		ADH061950	ADH071950	ADH081950	ADH091950	ADH101950	ADH111950	
	18 7/8" [479]							
		ADH061950	ADH071950	ADH081950	ADH091950	ADH101950	ADH111950	

Egress Note:

- Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).

GOLDENCLAD DOUBLE HUNG WINDOWS COLONIAL ELEVATIONS

	OPENING				
	40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]
	39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	63" [1600]	70 7/8" [1800]
FRAME	33 3/8" [847]	41 1/4" [1047]	49 1/8" [1247]	56 15/16" [1447]	64 13/16" [1647]
GLASS					
FIXED TRANSOM UNITS					
	ADHT1004	ADHT1204	ADHT1404	ADHT1604	ADHT1804
	ADHT1005	ADHT1205	ADHT1405	ADHT1605	ADHT1805
FIXED PICTURE UNITS	ADHT1006	ADHT1206	ADHT1406	ADHT1606	ADHT1806
	ADHF1009	ADHF1209	ADHF1409	ADHF1609	ADHF1809
	ADHF1010	ADHF1210	ADHF1410	ADHF1610	ADHF1810
	ADHF1012	ADHF1212	ADHF1412	ADHF1612	ADHF1812
	ADHF1014	ADHF1214	ADHF1414	ADHF1614	ADHF1814
	ADHF1015	ADHF1215	ADHF1415	ADHF1615	ADHF1815
	ADHF1016	ADHF1216	ADHF1416	ADHF1616	ADHF1816
	ADHF1018	ADHF1218	ADHF1418	ADHF1618	
	ADHF101950	ADHF121950	ADHF141950	ADHF161950	

GOLDENCLAD DOUBLE HUNG WINDOWS COTTAGE STYLE COLONIAL ELEVATIONS

OPENING FRAME GLASS								
		24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	44 5/16"	48 1/4"
		[625]	[725]	[825]	[925]	[1025]	[1125]	[1225]
		23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	43 5/16"	47 1/4"
		[600]	[700]	[800]	[900]	[1000]	[1100]	[1200]
		17 5/8"	21 9/16"	25 1/2"	29 7/16"	33 3/8"	37 5/16"	41 1/4"
		[447]	[547]	[647]	[747]	[847]	[947]	[1047]
OPERATING UNITS	50 3/16"							
	56 1/8"							
	66 15/16"							
		49 3/16"	55 1/8"	65 15/16"	71 7/8"	77 1/2"	83 1/4"	89 1/8"
		[1250]	[1400]	[1675]	[1825]	[1975]	[2125]	[2275]
		27 9/16"	31 1/2"	35 7/16"	39 3/8"	43 5/16"	47 1/4"	51 1/8"
		[700]	[800]	[900]	[1000]	[1100]	[1200]	[1300]
		23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	43 5/16"	47 1/4"
		[600]	[700]	[800]	[900]	[1000]	[1100]	[1200]
		19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	43 5/16"
		[500]	[600]	[700]	[800]	[900]	[1000]	[1100]
		13 3/4"	17 5/8"	21 9/16"	25 1/2"	29 7/16"	33 3/8"	37 5/16"
		[350]	[447]	[547]	[647]	[747]	[847]	[947]

Egress Note:

- Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).

OPENING FRAME GLASS						
		40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"
		[1025]	[1225]	[1425]	[1625]	[1825]
		39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"
		[1000]	[1200]	[1400]	[1600]	[1800]
		33 3/8"	41 1/4"	49 1/8"	56 15/16"	64 13/16"
		[847]	[1047]	[1247]	[1447]	[1647]
FIXED PICTURE UNITS	50 3/16"					
	56 1/8"					
	66 15/16"					
		49 3/16"	55 1/8"	65 15/16"	71 7/8"	77 1/2"
		[1250]	[1400]	[1675]	[1825]	[1975]
		27 9/16"	31 1/2"	35 7/16"	39 3/8"	43 5/16"
		[700]	[800]	[900]	[1000]	[1100]
		23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"
		[600]	[700]	[800]	[900]	[1000]
		19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"
		[500]	[600]	[700]	[800]	[900]
		13 3/4"	17 5/8"	21 9/16"	25 1/2"	29 7/16"
		[350]	[447]	[547]	[647]	[747]

GOLDENCLAD DOUBLE HUNG WINDOWS MUSKOKA ELEVATIONS

OPENING FRAME GLASS		24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	44 5/16"	48 1/4"
		[625]	[725]	[825]	[925]	[1025]	[1125]	[1225]
		23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	43 5/16"	47 1/4"
		[600]	[700]	[800]	[900]	[1000]	[1100]	[1200]
		17 5/8"	21 9/16"	25 1/2"	29 7/16"	33 3/8"	37 5/16"	41 1/4"
		[447]	[547]	[647]	[747]	[847]	[947]	[1047]
FIXED TRANSOM UNITS		16 3/4"	20 11/16"	24 5/8"	36 7/16"	40 3/8"	48 1/4"	56 7/8"
		[425]	[525]	[625]	[925]	[1025]	[1225]	[1425]
		15 3/4"	19 11/16"	23 5/8"	35 7/16"	39 3/8"	47 1/4"	55 1/8"
		[400]	[500]	[600]	[900]	[1000]	[1200]	[1400]
OPERATING UNITS		11"	14 15/16"	18 7/8"	13 3/4"	15 3/4"	19 11/16"	23 5/8"
		[279]	[379]	[479]	[350]	[400]	[500]	[600]
		ADHT0604	ADHT0704	ADHT0804	ADHT0904	ADHT1004	ADHT1104	ADHT1204
		ADHT0605	ADHT0705	ADHT0805	ADHT0905	ADHT1005	ADHT1105	ADHT1205
		ADHT0606	ADHT0706	ADHT0806	ADHT0906	ADHT1006	ADHT1106	ADHT1206
		ADH0609	ADH0709	ADH0809	ADH0909	ADH1009	ADH1109	
		ADH0610	ADH0710	ADH0810	ADH0910	ADH1010	ADH1110	
		ADH0612	ADH0712	ADH0812	ADH0912	ADH1012	ADH1112	ADH1212
		ADH0614	ADH0714	ADH0814	ADH0914	ADH1014	ADH1114	ADH1214
		ADH0615	ADH0715	ADH0815	ADH0915	ADH1015	ADH1115	ADH1215
		ADH0616	ADH0716	ADH0816	ADH0916	ADH1016	ADH1116	ADH1216
		ADH0618	ADH0718	ADH0818	ADH0918	ADH1018	ADH1118	ADH1218
		ADH061950	ADH071950	ADH081950	ADH091950	ADH101950	ADH111950	

Egress Note:

- Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).

GOLDENCLAD DOUBLE HUNG WINDOWS

MUSKOKA ELEVATIONS

OPENING					
	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"
	[1025]	[1225]	[1425]	[1625]	[1825]
FRAME	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"
	[1000]	[1200]	[1400]	[1600]	[1800]
GLASS	33 3/8"	41 1/4"	49 1/8"	56 15/16"	64 13/16"
	[847]	[1047]	[1247]	[1447]	[1647]
FIXED TRANSOM UNITS					
	ADHT1004	ADHT1204	ADHT1404	ADHT1604	ADHT1804
	ADHT1005	ADHT1205	ADHT1405	ADHT1605	ADHT1805
FIXED PICTURE UNITS	ADHT1006	ADHT1206	ADHT1406	ADHT1606	ADHT1806
	ADHF1009	ADHF1209	ADHF1409	ADHF1609	ADHF1809
	ADHF1010	ADHF1210	ADHF1410	ADHF1610	ADHF1810
FIXED TRANSOM UNITS	ADHF1012	ADHF1212	ADHF1412	ADHF1612	ADHF1812
	ADHF1014	ADHF1214	ADHF1414	ADHF1614	ADHF1814
	ADHF1015	ADHF1215	ADHF1415	ADHF1615	ADHF1815
FIXED PICTURE UNITS	ADHF1016	ADHF1216	ADHF1416	ADHF1616	ADHF1816
	ADHF1018	ADHF1218	ADHF1418	ADHF1618	
	ADHF101950	ADHF121950	ADHF141950	ADHF161950	

GOLDENCLAD DOUBLE HUNG WINDOWS COTTAGE STYLE MUSKOKA ELEVATIONS

OPENING FRAME GLASS							
	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	44 5/16"	48 1/4"
	[625]	[725]	[825]	[925]	[1025]	[1125]	[1225]
	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	43 5/16"	47 1/4"
	[600]	[700]	[800]	[900]	[1000]	[1100]	[1200]
	17 5/8"	21 9/16"	25 1/2"	29 7/16"	33 3/8"	37 5/16"	41 1/4"
	[447]	[547]	[647]	[747]	[847]	[947]	[1047]
50 3/16" 56 1/8" 66 15/16"							
	49 3/16"	55 1/8"	65 15/16"	71 7/8"	77 1/2"	83 1/4"	89 1/4"
	[1250]	[1400]	[1675]	[1825]	[1975]	[2125]	[2275]
27 9/16" 27 9/16" 34 7/16"							
	13 3/4"	19 11/16"	23 5/8"	29 7/16"	33 3/8"	37 5/16"	41 1/4"
	[350]	[500]	[600]	[747]	[847]	[947]	[1047]
OPERATING UNITS							
	ADH061250C	ADH071250C	ADH081250C	ADH091250C	ADH101250C	ADH111250C	ADH121250C
ADH0614C ADH0714C ADH0814C ADH0914C ADH1014C ADH1114C ADH1214C							
ADH061675C ADH071675C ADH081675C ADH091675C ADH101675C ADH111675C ADH121675C							

Egress Note:

- Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).

OPENING FRAME GLASS					
	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"
	[1025]	[1225]	[1425]	[1625]	[1825]
	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"
	[1000]	[1200]	[1400]	[1600]	[1800]
	33 3/8"	41 1/4"	49 1/8"	56 15/16"	64 13/16"
	[847]	[1047]	[1247]	[1447]	[1647]
50 3/16" 56 1/8" 66 15/16"					
	49 3/16"	55 1/8"	65 15/16"	71 7/8"	77 1/2"
	[1250]	[1400]	[1675]	[1825]	[1975]
27 9/16" 48 11/16" 59 1/2"					
	13 3/4"	19 11/16"	23 5/8"	29 7/16"	33 3/8"
	[350]	[500]	[600]	[747]	[847]
FIXED PICTURE UNITS					
	ADHF101250C	ADHF121250C	ADHF141250C	ADHF161250C	ADHF181250C
ADHF1014C ADHF1214C ADHF1414C ADHF1614C ADHF1814C					
ADHF101675C ADHF121675C ADHF141675C ADHF161675C ADHF181675C					

GOLDENCLAD DOUBLE HUNG WINDOWS

VICTORIAN ELEVATIONS

OPENING		24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	44 5/16"	48 1/4"
		[625]	[725]	[825]	[925]	[1025]	[1125]	[1225]
		23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	43 5/16"	47 1/4"
FRAME		[600]	[700]	[800]	[900]	[1000]	[1100]	[1200]
		17 5/8"	21 9/16"	25 1/2"	29 7/16"	33 3/8"	37 5/16"	41 1/4"
GLASS		[447]	[547]	[647]	[747]	[847]	[947]	[1047]
FIXED TRANSOM UNITS		16 3/4"	20 11/16"	24 5/8"	36 7/16"	40 3/8"	48 1/4"	56 1/8"
		[425]	[525]	[625]	[925]	[1025]	[1225]	[1425]
		15 3/4"	19 11/16"	23 5/8"	35 7/16"	39 3/8"	47 1/4"	55 1/8"
		[400]	[500]	[600]	[900]	[1000]	[1200]	[1400]
		11"	14 15/16"	18 7/8"	13 3/4"	15 3/4"	19 11/16"	23 5/8"
		[279]	[379]	[479]	[350]	[400]	[500]	[600]
OPERATING UNITS		64"	60 1/16"	56 1/8"	48 1/4"	40 3/8"	36 7/16"	24 5/8"
		[1625]	[1525]	[1425]	[1225]	[1025]	[925]	[625]
		63"	59 1/16"	55 1/8"	47 1/4"	39 3/8"	35 7/16"	23 5/8"
		[1600]	[1500]	[1400]	[1200]	[1000]	[900]	[600]
		27 9/16"	25 9/16"	23 5/8"	19 11/16"	15 3/4"	13 3/4"	11"
		[700]	[650]	[600]	[500]	[400]	[350]	[279]
FIXED TRANSOM UNITS		ADHT0604	ADHT0704	ADHT0804	ADHT0904	ADHT1004	ADHT1104	ADHT1204
		ADHT0605	ADHT0705	ADHT0805	ADHT0905	ADHT1005	ADHT1105	ADHT1205
		ADHT0606	ADHT0706	ADHT0806	ADHT0906	ADHT1006	ADHT1106	ADHT1206
OPERATING UNITS		ADH0609	ADH0709	ADH0809	ADH0909	ADH1009	ADH1109	
		ADH0610	ADH0710	ADH0810	ADH0910	ADH1010	ADH1110	
		ADH0612	ADH0712	ADH0812	ADH0912	ADH1012	ADH1112	ADH1212
FIXED TRANSOM UNITS		ADH0614	ADH0714	ADH0814	ADH0914	ADH1014	ADH1114	ADH1214
		ADH0615	ADH0715	ADH0815	ADH0915	ADH1015	ADH1115	ADH1215
		ADH0616	ADH0716	ADH0816	ADH0916	ADH1016	ADH1116	ADH1216
OPERATING UNITS		ADH0618	ADH0718	ADH0818	ADH0918	ADH1018	ADH1118	ADH1218
		ADH061950	ADH071950	ADH081950	ADH091950	ADH101950	ADH111950	

Egress Note:

- Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).

GOLDENCLAD DOUBLE HUNG WINDOWS VICTORIAN ELEVATIONS

OPENING		FRAME									
		GLASS									
		FIXED TRANSOM UNITS									
		FIXED PICTURE UNITS									
77 3/4" [1975]	76 3/4" [1950]	71 7/8" [1825]	64" [1625]	60 1/16" [1525]	56 1/8" [1425]	48 1/4" [1225]	40 3/8" [1025]	36 7/16" [925]	24 5/8" [625]	20 11/16" [525]	16 3/4" [425]
70 5/16" [1786]	70 7/8" [1800]	64 7/16" [1636]	56 9/16" [1436]	52 5/8" [1336]	48 11/16" [1236]	40 13/16" [1036]	32 15/16" [836]	29" [736]	18 7/8" [479]	14 15/16" [379]	11" [279]
ADHF101950	ADHF1018	ADHF1016	ADHF1015	ADHF1014	ADHF1012	ADHF1010	ADHF1009		ADHT1006	ADHT1005	ADHT1004
ADHF121950	ADHF1218	ADHF1216	ADHF1215	ADHF1214	ADHF1212	ADHF1210	ADHF1209		ADHT1206	ADHT1205	ADHT1204
ADHF141950	ADHF1418	ADHF1416	ADHF1415	ADHF1414	ADHF1412	ADHF1410	ADHF1409		ADHT1406	ADHT1405	ADHT1404
ADHF161950	ADHF1618	ADHF1616	ADHF1615	ADHF1614	ADHF1612	ADHF1610	ADHF1609		ADHT1606	ADHT1605	ADHT1604
									ADHT1806	ADHT1805	ADHT1804













SCALE: 1/8" = 1'-0"

GOLDENCLAD DOUBLE HUNG WINDOWS COTTAGE STYLE VICTORIAN ELEVATIONS

OPENING										
FRAME										
GLASS										
		24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	44 5/16" [1125]	48 1/4" [1225]		
		23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	43 5/16" [1100]	47 1/4" [1200]		
		17 5/8" [447]	21 9/16" [547]	25 1/2" [647]	29 7/16" [747]	33 3/8" [847]	37 5/16" [947]	41 1/4" [1047]		
OPERATING UNITS										
50 3/16" [1275]	49 3/16" [1250]	27 9/16" [700]	13 3/4" [350]							
		ADH061250C	ADH071250C	ADH081250C	ADH091250C	ADH101250C	ADH111250C	ADH121250C		
56 1/8" [1425]	55 1/8" [1400]	27 9/16" [700]	19 11/16" [500]							
		ADH0614C	ADH0714C	ADH0814C	ADH0914C	ADH1014C	ADH1114C	ADH1214C		
66 15/16" [1700]	65 15/16" [1675]	34 7/16" [875]	23 5/8" [600]							
		ADH061675C	ADH071675C	ADH081675C	ADH091675C	ADH101675C	ADH111675C	ADH121675C		

Egress Note:

- Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).

OPENING						
		40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"
		[1025]	[1225]	[1425]	[1625]	[1825]
FRAME		39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"
		[1000]	[1200]	[1400]	[1600]	[1800]
GLASS		33 3/8"	41 1/4"	49 1/8"	56 15/16"	64 13/16"
		[847]	[1047]	[1247]	[1447]	[1647]
FIXED PICTURE UNITS						
		ADHF101250C	ADHF121250C	ADHF141250C	ADHF161250C	ADHF181250C
						
		ADHF1014C	ADHF1214C	ADHF1414C	ADHF1614C	ADHF1814C
						
		ADHF101675C	ADHF121675C	ADHF141675C	ADHF161675C	ADHF181675C
						
		ADHF101700C	ADHF121700C	ADHF141700C	ADHF161700C	ADHF181700C
ADHF101750C	ADHF121750C	ADHF141750C	ADHF161750C	ADHF181750C		