

		16 3/4"	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"
		[425]	[525]	[625]	[725]	[825]	[925]	[1025]	[1225]	[1425]	[1625]	[1825]
		15 3/4"	19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"
		[400]	[500]	[600]	[700]	[800]	[900]	[1000]	[1200]	[1400]	[1600]	[1800]
		10 3/4"	14 11/16"	18 5/8"	22 9/16"	26 1/2"	30 7/16"	34 3/8"	42 1/4"	50 1/8"	58"	65 7/8"
		[273.4]	[373.4]	[473.4]	[573.4]	[673.4]	[773.4]	[873.4]	[1073.4]	[1273.4]	[1473.4]	[1673.4]
OPENING	FRAME	FIXED UNITS ONLY										
		GLASS										
16 3/4"	10 3/4"	PC0404	PC0504	PC0604	PC0704	PC0804	PC0904	PC1004	PC1204	PC1404	PC1604	PC1804
20 11/16"	14 11/16"	PC0405	PC0505	PC0605	PC0705	PC0805	PC0905	PC1005	PC1205	PC1405	PC1605	PC1805
24 5/8"	18 5/8"	PC0406	PC0506	PC0606	PC0706	PC0806	PC0906	PC1006	PC1206	PC1406	PC1606	PC1806
32 1/2"	26 1/2"	PC0408	PC0508	PC0608	PC0708	Ec	PC0908	PC1008	PC1208	PC1408	PC1608	PC1808
36 7/16"	30 7/16"	PC0409	PC0509	PC0609	PC0709	Ec	Ec	PC1009	PC1209	PC1409	PC1609	PC1809
40 3/8"	34 3/8"	PC0410	PC0510	PC0610	Ec	E1	E1	PC1010	PC1210	PC1410	PC1610	PC1810
48 1/4"	42 1/4"	PC0412	PC0512	PC0612	Ec	E2	E2	PC1012	PC1212	PC1412	PC1612	PC1812
56 1/8"	50 1/8"	PC0414	PC0514	PC0614	Ec	E2	E2	PC1014	PC1214	PC1414	PC1614	PC1814
60 1/16"	54 1/16"	PC0415	PC0515	PC0615	Ec	E2	E2	PC1015	PC1215	PC1415	PC1615	PC1815
64"	58"	PC0416	PC0516	PC0616	Ec	E2	E2	PC1016	PC1216	PC1416	PC1616	PC1816
71 7/8"	65 7/8"	PC0418	PC0518	PC0618	Ec	L	PC0918	PC1018	PC1218	PC1418	PC1618	
77 3/4"	71 13/16"	PC041950	PC051950	PC061950	PC071950	Ec	L					

Gress Note:
 Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
 E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
 E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).
 L = Operating unit comes standard with a sash limiting device.

		16 3/4"	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"
		[425]	[525]	[625]	[725]	[825]	[925]	[1025]	[1225]	[1425]	[1625]	[1825]
		15 3/4"	19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"
		[400]	[500]	[600]	[700]	[800]	[900]	[1000]	[1200]	[1400]	[1600]	[1800]
		10 3/4"	14 11/16"	18 5/8"	22 9/16"	26 1/2"	30 7/16"	34 3/8"	42 1/4"	50 1/8"	58"	65 7/8"
		[273.4]	[373.4]	[473.4]	[573.4]	[673.4]	[773.4]	[873.4]	[1073.4]	[1273.4]	[1473.4]	[1673.4]
OPENING FRAME GLASS	16 3/4"	FIXED UNITS ONLY										
	20 11/16"	PC0404	PC0504	PC0604	PC0704	PC0804	PC0904	PC1004	PC1204	PC1404	PC1604	PC1804
	24 5/8"	PC0405	PC0505	PC0605	PC0705	PC0805	PC0905	PC1005	PC1205	PC1405	PC1605	PC1805
	28 9/16"	PC0406	PC0506	PC0606	PC0706	PC0806	PC0906	PC1006	PC1206	PC1406	PC1606	PC1806
	32 1/2"	PC0408	PC0508	PC0608	PC0708	PC0808	PC0908	PC1008	PC1208	PC1408	PC1608	PC1808
	36 7/16"	PC0409	PC0509	PC0609	PC0709	PC0809	PC0909	PC1009	PC1209	PC1409	PC1609	PC1809
	40 3/8"	PC0410	PC0510	PC0610	PC0710	PC0810	PC0910	PC1010	PC1210	PC1410	PC1610	PC1810
	48 1/4"	PC0412	PC0512	PC0612	PC0712	PC0812	PC0912	PC1012	PC1212	PC1412	PC1612	PC1812
	56 1/8"	PC0414	PC0514	PC0614	PC0714	PC0814	PC0914	PC1014	PC1214	PC1414	PC1614	PC1814
	60 1/16"	PC0415	PC0515	PC0615	PC0715	PC0815	PC0915	PC1015	PC1215	PC1415	PC1615	PC1815
	64"	PC0416	PC0516	PC0616	PC0716	PC0816	PC0916	PC1016	PC1216	PC1416	PC1616	PC1816
	71 7/8"	PC0418	PC0518	PC0618	PC0718	PC0818	PC0918	PC1018	PC1218	PC1418	PC1618	
	77 3/4"	PC0419	PC0519	PC0619	PC0719	PC0819						

Egress Note:

- Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).
- L = Operating unit comes standard with a sash limiting device.

		16 3/4"	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"
		[425]	[525]	[625]	[725]	[825]	[925]	[1025]	[1225]	[1425]	[1625]	[1825]
		15 3/4"	19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"
		[400]	[500]	[600]	[700]	[800]	[900]	[1000]	[1200]	[1400]	[1600]	[1800]
		10 3/4"	14 11/16"	18 5/8"	22 9/16"	26 1/2"	30 7/16"	34 3/8"	42 1/4"	50 1/8"	58"	65 7/8"
		[273.4]	[373.4]	[473.4]	[573.4]	[673.4]	[773.4]	[873.4]	[1073.4]	[1273.4]	[1473.4]	[1673.4]
OPENING FRAME GLASS	16 3/4"	PC0404	PC0504	PC0604	PC0704	PC0804	PC0904	PC1004	PC1204	PC1404	PC1604	PC1804
	20 11/16"	PC0405	PC0505	PC0605	PC0705	PC0805	PC0905	PC1005	PC1205	PC1405	PC1605	PC1805
	24 5/8"	PC0406	PC0506	PC0606	PC0706	PC0806	PC0906	PC1006	PC1206	PC1406	PC1606	PC1806
	28 9/16"	PC0408	PC0508	PC0608	PC0708	PC0808	PC0908	PC1008	PC1208	PC1408	PC1608	PC1808
	32 1/2"	PC0409	PC0509	PC0609	PC0709	PC0809	PC0909	PC1009	PC1209	PC1409	PC1609	PC1809
	36 7/16"	PC0410	PC0510	PC0610	PC0710	PC0810	PC0910	PC1010	PC1210	PC1410	PC1610	PC1810
	40 3/8"	PC0412	PC0512	PC0612	PC0712	PC0812	PC0912	PC1012	PC1212	PC1412	PC1612	PC1812
	48 1/4"	PC0414	PC0514	PC0614	PC0714	PC0814	PC0914	PC1014	PC1214	PC1414	PC1614	PC1814
	56 1/8"	PC0415	PC0515	PC0615	PC0715	PC0815	PC0915	PC1015	PC1215	PC1415	PC1615	PC1815
	60 1/16"	PC0416	PC0516	PC0616	PC0716	PC0816	PC0916	PC1016	PC1216	PC1416	PC1616	PC1816
	64"	PC0418	PC0518	PC0618	PC0718	PC0818	PC0918	PC1018	PC1218	PC1418	PC1618	
	71 7/8"	PC0419	PC0519	PC0619	PC0719	PC0819	PC0919	PC1019	PC1219	PC1419	PC1619	
	77 3/4"	PC041950	PC051950	PC061950	PC071950	PC081950						

FIXED UNITS ONLY

Egress Note:

- Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).
- L = Operating unit comes standard with a sash limiting device.

		16 3/4" [425]	20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]
		15 3/4" [400]	19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	63" [1600]	70 7/8" [1800]
		10 3/4" [273.4]	14 11/16" [373.4]	18 5/8" [473.4]	22 9/16" [573.4]	26 1/2" [673.4]	30 7/16" [773.4]	34 3/8" [873.4]	42 1/4" [1073.4]	50 1/8" [1273.4]	58" [1473.4]	65 7/8" [1673.4]
OPENING FRAME GLASS	OPERATING OR FIXED UNITS	FIXED UNITS ONLY										
		16 3/4"	PC0404	PC0504	PC0604	PC0704	PC0804	PC0904	PC1004	PC1204	PC1404	PC1604
20 11/16"	PC0405	PC0505	PC0605	PC0705	PC0805	PC0905	PC1005	PC1205	PC1405	PC1605	PC1805	
24 5/8"	PC0406	PC0506	PC0606	PC0706	PC0806	PC0906	PC1006	PC1206	PC1406	PC1606	PC1806	
32 1/2"	PC0408	PC0508	PC0608	PC0708	PC0808	PC0908	PC1008	PC1208	PC1408	PC1608	PC1808	
36 7/16"	PC0409	PC0509	PC0609	PC0709	PC0809	PC0909	PC1009	PC1209	PC1409	PC1609	PC1809	
40 3/8"	PC0410	PC0510	PC0610	PC0710	PC0810	PC0910	PC1010	PC1210	PC1410	PC1610	PC1810	
48 1/4"	PC0412	PC0512	PC0612	PC0712	PC0812	PC0912	PC1012	PC1212	PC1412	PC1612	PC1812	
56 1/8"	PC0414	PC0514	PC0614	PC0714	PC0814	PC0914	PC1014	PC1214	PC1414	PC1614	PC1814	
60 1/16"	PC0415	PC0515	PC0615	PC0715	PC0815	PC0915	PC1015	PC1215	PC1415	PC1615	PC1815	
64"	PC0416	PC0516	PC0616	PC0716	PC0816	PC0916	PC1016	PC1216	PC1416	PC1616	PC1816	
71 7/8"	PC0418	PC0518	PC0618	PC0718	PC0818	PC0918	PC1018	PC1218	PC1418	PC1618		
77 3/4"	PC041950	PC051950	PC061950	PC071950	PC081950							

Egress Note:
 Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
 E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
 E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).
 L = Operating unit comes standard with a sash limiting device.