

		16 3/4"	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"
		[425]	[525]	[625]	[725]	[825]	[925]	[1025]	[1225]	[1425]	[1625]	[1825]
		15 3/4"	19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"
		[400]	[500]	[600]	[700]	[800]	[900]	[1000]	[1200]	[1400]	[1600]	[1800]
		10 3/4"	14 11/16"	18 5/8"	22 9/16"	26 1/2"	30 7/16"	34 3/8"	42 1/4"	50 1/8"	58"	65 7/8"
		[273.4]	[373.4]	[473.4]	[573.4]	[673.4]	[773.4]	[873.4]	[1073.4]	[1273.4]	[1473.4]	[1673.4]
OPENING	FRAME	FIXED UNITS ONLY										
		GLASS										
16 3/4"	10 3/4"	PC0404	PC0504	PC0604	PC0704	PC0804	PC0904	PC1004	PC1204	PC1404	PC1604	PC1804
20 11/16"	14 11/16"	PC0405	PC0505	PC0605	PC0705	PC0805	PC0905	PC1005	PC1205	PC1405	PC1605	PC1805
24 5/8"	18 5/8"	PC0406	PC0506	PC0606	PC0706	PC0806	PC0906	PC1006	PC1206	PC1406	PC1606	PC1806
32 1/2"	22 9/16"	PC0408	PC0508	PC0608	PC0708	PC0808	PC0908	PC1008	PC1208	PC1408	PC1608	PC1808
36 7/16"	26 1/2"	PC0409	PC0509	PC0609	PC0709	PC0809	PC0909	PC1009	PC1209	PC1409	PC1609	PC1809
40 3/8"	30 7/16"	PC0410	PC0510	PC0610	PC0710	PC0810	PC0910	PC1010	PC1210	PC1410	PC1610	PC1810
48 1/4"	34 3/8"	PC0412	PC0512	PC0612	PC0712	PC0812	PC0912	PC1012	PC1212	PC1412	PC1612	PC1812
56 1/8"	42 1/4"	PC0414	PC0514	PC0614	PC0714	PC0814	PC0914	PC1014	PC1214	PC1414	PC1614	PC1814
60 1/16"	50 7/8"	PC0415	PC0515	PC0615	PC0715	PC0815	PC0915	PC1015	PC1215	PC1415	PC1615	PC1815
64"	58"	PC0416	PC0516	PC0616	PC0716	PC0816	PC0916	PC1016	PC1216	PC1416	PC1616	PC1816
71 7/8"	65 7/8"	PC0418	PC0518	PC0618	PC0718	PC0818	PC0918	PC1018	PC1218	PC1418	PC1618	
77 3/4"	71 13/16"	PC041950	PC051950	PC061950	PC071950	PC081950						

Gress Note:

- Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).
- L = Operating unit comes standard with a sash limiting device.

		16 3/4"	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"
		[425]	[525]	[625]	[725]	[825]	[925]	[1025]	[1225]	[1425]	[1625]	[1825]
		15 3/4"	19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"
		[400]	[500]	[600]	[700]	[800]	[900]	[1000]	[1200]	[1400]	[1600]	[1800]
		10 3/4"	14 11/16"	18 5/8"	22 9/16"	26 1/2"	30 7/16"	34 3/8"	42 1/4"	50 1/8"	58"	65 7/8"
		[273.4]	[373.4]	[473.4]	[573.4]	[673.4]	[773.4]	[873.4]	[1073.4]	[1273.4]	[1473.4]	[1673.4]
OPENING	FRAME											
GLASS		16 3/4"	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"
		[425]	[525]	[625]	[725]	[825]	[925]	[1025]	[1225]	[1425]	[1625]	[1825]
		15 3/4"	19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"
		[400]	[500]	[600]	[700]	[800]	[900]	[1000]	[1200]	[1400]	[1600]	[1800]
		10 3/4"	14 11/16"	18 5/8"	22 9/16"	26 1/2"	30 7/16"	34 3/8"	42 1/4"	50 1/8"	58"	65 7/8"
		[273.4]	[373.4]	[473.4]	[573.4]	[673.4]	[773.4]	[873.4]	[1073.4]	[1273.4]	[1473.4]	[1673.4]
FIXED UNITS ONLY												
		PC0404	PC0504	PC0604	PC0704	PC0804	PC0904	PC1004	PC1204	PC1404	PC1604	PC1804
		PC0405	PC0505	PC0605	PC0705	PC0805	PC0905	PC1005	PC1205	PC1405	PC1605	PC1805
		PC0406	PC0506	PC0606	PC0706	PC0806	PC0906	PC1006	PC1206	PC1406	PC1606	PC1806
		PC0408	PC0508	PC0608	PC0708	PC0808	PC0908	PC1008	PC1208	PC1408	PC1608	PC1808
		PC0409	PC0509	PC0609	PC0709	PC0809	PC0909	PC1009	PC1209	PC1409	PC1609	PC1809
		PC0410	PC0510	PC0610	PC0710	PC0810	PC0910	PC1010	PC1210	PC1410	PC1610	PC1810
		PC0412	PC0512	PC0612	PC0712	PC0812	PC0912	PC1012	PC1212	PC1412	PC1612	PC1812
		PC0414	PC0514	PC0614	PC0714	PC0814	PC0914	PC1014	PC1214	PC1414	PC1614	PC1814
		PC0415	PC0515	PC0615	PC0715	PC0815	PC0915	PC1015	PC1215	PC1415	PC1615	PC1815
		PC0416	PC0516	PC0616	PC0716	PC0816	PC0916	PC1016	PC1216	PC1416	PC1616	PC1816
		PC0418	PC0518	PC0618	PC0718	PC0818	PC0918	PC1018	PC1218	PC1418	PC1618	
		PC041950	PC051950	PC061950	PC071950	PC081950						

Egress Note:
 Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
 E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
 E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).
 L = Operating unit comes standard with a sash limiting device.

		16 3/4"	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"	
		[425]	[525]	[625]	[725]	[825]	[925]	[1025]	[1225]	[1425]	[1625]	[1825]	
		15 3/4"	19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"	
		[400]	[500]	[600]	[700]	[800]	[900]	[1000]	[1200]	[1400]	[1600]	[1800]	
		10 3/4"	14 11/16"	18 5/8"	22 9/16"	26 1/2"	30 7/16"	34 3/8"	42 1/4"	50 1/8"	58"	65 7/8"	
		[273.4]	[373.4]	[473.4]	[573.4]	[673.4]	[773.4]	[873.4]	[1073.4]	[1273.4]	[1473.4]	[1673.4]	
OPENING	FRAME	GLASS	FIXED UNITS ONLY										
			PC0404	PC0504	PC0604	PC0704	PC0804	PC0904	PC1004	PC1204	PC1404	PC1604	PC1804
			PC0405	PC0505	PC0605	PC0705	PC0805	PC0905	PC1005	PC1205	PC1405	PC1605	PC1805
			PC0406	PC0506	PC0606	PC0706	PC0806	PC0906	PC1006	PC1206	PC1406	PC1606	PC1806
			PC0408	PC0508	PC0608	PC0708	PC0808	PC0908	PC1008	PC1208	PC1408	PC1608	PC1808
			PC0409	PC0509	PC0609	PC0709	PC0809	PC0909	PC1009	PC1209	PC1409	PC1609	PC1809
			PC0410	PC0510	PC0610	PC0710	PC0810	PC0910	PC1010	PC1210	PC1410	PC1610	PC1810
			PC0412	PC0512	PC0612	PC0712	PC0812	PC0912	PC1012	PC1212	PC1412	PC1612	PC1812
			PC0414	PC0514	PC0614	PC0714	PC0814	PC0914	PC1014	PC1214	PC1414	PC1614	PC1814
			PC0415	PC0515	PC0615	PC0715	PC0815	PC0915	PC1015	PC1215	PC1415	PC1615	PC1815
			PC0416	PC0516	PC0616	PC0716	PC0816	PC0916	PC1016	PC1216	PC1416	PC1616	PC1816
			PC0418	PC0518	PC0618	PC0718	PC0818	PC0918	PC1018	PC1218	PC1418	PC1618	
			PC041950	PC051950	PC061950	PC071950	PC081950						

Gress Note:
 Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
 E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
 E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).
 L = Operating unit comes standard with a sash limiting device.

		16 3/4"	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"
		[425]	[525]	[625]	[725]	[825]	[925]	[1025]	[1225]	[1425]	[1625]	[1825]
		15 3/4"	19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"
		[400]	[500]	[600]	[700]	[800]	[900]	[1000]	[1200]	[1400]	[1600]	[1800]
		10 3/4"	14 11/16"	18 5/8"	22 9/16"	26 1/2"	30 7/16"	34 3/8"	42 1/4"	50 1/8"	58"	65 7/8"
		[273.4]	[373.4]	[473.4]	[573.4]	[673.4]	[773.4]	[873.4]	[1073.4]	[1273.4]	[1473.4]	[1673.4]
OPENING FRAME GLASS	16 3/4"											
	20 11/16"											
	24 5/8"											
	28 9/16"											
	32 1/2"											
	36 7/16"											
	40 3/8"											
	48 1/4"											
	56 1/8"											
	60 1/16"											
	64"											
	71 7/8"											
	77 3/4"											

FIXED UNITS ONLY

Egress Note:

- Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).
- L = Operating unit comes standard with a sash limiting device.