

	20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	44 5/16" [1125]	48 1/4" [1225]	
	19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	43 5/16" [1100]	47 1/4" [1200]	
	13 3/4" [349.9]	17 11/16" [449.9]	21 5/8" [549.9]	25 9/16" [649.9]	29 1/2" [749.9]	33 7/16" [849.9]	37 3/8" [949.9]	41 5/16" [1049.9]	UPPER SASH
	14 3/4" [375.3]	18 11/16" [475.3]	22 5/8" [575.3]	26 9/16" [675.3]	30 1/2" [775.3]	34 7/16" [875.3]	38 3/8" [975.3]	42 5/16" [1075.3]	LOWER SASH






























































OPENING	FRAME	GLASS							
36 7/16" [925]	35 7/16" [900]	14 11/16" [373.4]							
40 3/8" [1025]	39 3/8" [1000]	16 11/16" [423.4]							
48 1/4" [1225]	47 1/4" [1200]	20 5/8" [523.4]							
56 1/8" [1425]	55 1/8" [1400]	24 9/16" [623.4]							
60 1/16" [1525]	59 1/16" [1500]	28 1/2" [673.4]							
64" [1625]	63" [1600]	28 1/2" [723.4]							
71 7/8" [1825]	70 7/8" [1800]	32 7/16" [823.4]							
77 3/4" [1975]	76 3/4" [1950]	35 3/8" [898.4]							

**Egress Note:**

- Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft<sup>2</sup> (0.35m<sup>2</sup>) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft<sup>2</sup> (0.46m<sup>2</sup>).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft<sup>2</sup> (0.53m<sup>2</sup>).

		20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	44 5/16" [1125]	48 1/4" [1225]	
OPENING		19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	43 5/16" [1100]	47 1/4" [1200]	
FRAME		13 3/4" [349.9]	17 11/16" [449.9]	21 5/8" [549.9]	25 9/16" [649.9]	29 1/2" [749.9]	33 7/16" [849.9]	37 3/8" [949.9]	41 5/16" [1049.9]	UPPER SASH
GLASS		14 3/4" [375.3]	18 11/16" [475.3]	22 5/8" [575.3]	26 9/16" [675.3]	30 1/2" [775.3]	34 7/16" [875.3]	38 3/8" [975.3]	42 5/16" [1075.3]	LOWER SASH

36 7/16" [925]	35 7/16" [900]	14 11/16" [373.4]								
40 3/8" [1025]	39 3/8" [1000]	16 11/16" [423.4]								
48 1/4" [1225]	47 1/4" [1200]	20 5/8" [523.4]						 Ec	 Ec	 Ec
56 1/8" [1425]	55 1/8" [1400]	24 9/16" [623.4]				 Ec	 Ec	 Ec	 Ec	 Ec
60 1/16" [1525]	59 1/16" [1500]	28 1/2" [673.4]				 Ec	 Ec	 Ec	 Ec	 Ec
64" [1625]	63" [1600]	28 1/2" [723.4]			 Ec	 Ec	 E1	 E2	 Ec	 Ec
71 7/8" [1825]	70 7/8" [1800]	32 7/16" [823.4]			 Ec	 E1	 E2	 E2	 E2	 E2
77 3/4" [1975]	76 3/4" [1950]	35 3/8" [898.4]	 Ec	 Ec	 E2	 E2	 E2	 E2	 E2	

**Egress Note:**





























































Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft<sup>2</sup> (0.35m<sup>2</sup>) with no dimensions less than 15" (380mm).

E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft<sup>2</sup> (0.46m<sup>2</sup>).

E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft<sup>2</sup> (0.53m<sup>2</sup>).

		20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	44 5/16" [1125]	48 1/4" [1225]	
OPENING		19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	43 5/16" [1100]	47 1/4" [1200]	
FRAME		13 3/4" [349.9]	17 11/16" [449.9]	21 5/8" [549.9]	25 9/16" [649.9]	29 1/2" [749.9]	33 7/16" [849.9]	37 3/8" [949.9]	41 5/16" [1049.9]	UPPER SASH
GLASS		14 3/4" [375.3]	18 11/16" [475.3]	22 5/8" [575.3]	26 9/16" [675.3]	30 1/2" [775.3]	34 7/16" [875.3]	38 3/8" [975.3]	42 5/16" [1075.3]	LOWER SASH

36 7/16" [925]	35 7/16" [900]	14 11/16" [373.4]								
40 3/8" [1025]	39 3/8" [1000]	16 11/16" [423.4]								
48 1/4" [1225]	47 1/4" [1200]	20 5/8" [523.4]								
56 1/8" [1425]	55 1/8" [1400]	24 9/16" [623.4]								
60 1/16" [1525]	59 1/16" [1500]	28 1/2" [673.4]								
64" [1625]	63" [1600]	28 1/2" [723.4]								
71 7/8" [1825]	70 7/8" [1800]	32 7/16" [823.4]								
77 3/4" [1975]	76 3/4" [1950]	35 3/8" [898.4]								

**Egress Note:**

Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft<sup>2</sup> (0.35m<sup>2</sup>) with no dimensions less than 15" (380mm).

E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft<sup>2</sup> (0.46m<sup>2</sup>).

E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft<sup>2</sup> (0.53m<sup>2</sup>).

	20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	44 5/16" [1125]	48 1/4" [1225]	
	19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	43 5/16" [1100]	47 1/4" [1200]	
	13 3/4" [349.9]	17 11/16" [449.9]	21 5/8" [549.9]	25 9/16" [649.9]	29 1/2" [749.9]	33 7/16" [849.9]	37 3/8" [949.9]	41 5/16" [1049.9]	UPPER SASH
	14 3/4" [375.9]	18 11/16" [475.9]	22 5/8" [575.9]	26 9/16" [675.9]	30 1/2" [775.9]	34 7/16" [875.9]	38 3/8" [975.9]	42 5/16" [1075.9]	LOWER SASH

OPENING	FRAME	GLASS							
36 7/16" [925]	35 7/16" [900]	14 11/16" [373.4]							
40 3/8" [1025]	39 3/8" [1000]	16 11/16" [423.4]							
48 1/4" [1225]	47 1/4" [1200]	20 5/8" [523.4]							
56 1/8" [1425]	55 1/8" [1400]	24 9/16" [623.4]							
60 1/16" [1525]	59 1/16" [1500]	28 1/2" [673.4]							
64" [1625]	63" [1600]	28 1/2" [723.4]							
71 7/8" [1825]	70 7/8" [1800]	32 7/16" [823.4]							
77 3/4" [1975]	76 3/4" [1950]	35 3/8" [898.4]							

**Egress Note:**

Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft<sup>2</sup> (0.35m<sup>2</sup>) with no dimensions less than 15" (380mm).

E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft<sup>2</sup> (0.46m<sup>2</sup>).

E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft<sup>2</sup> (0.53m<sup>2</sup>).