



GOLDENVINYL 1000 SERIES
FIX PICTURE WINDOWS
STANDARD ELEVATIONS WITH NO GRILLE BARS

OPENING		FRAME		GLASS		16 3/4"	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"					
						[425]	[525]	[625]	[725]	[825]	[925]	[1025]	[1225]	[1425]	[1625]	[1825]					
						[400]	[500]	[600]	[700]	[800]	[900]	[1000]	[1200]	[1400]	[1600]	[1800]					
						[328.5]	[428.5]	[528.5]	[628.5]	[728.5]	[828.5]	[928.5]	[1128.5]	[1328.5]	[1528.5]	[1728.5]					
16 3/4"	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"											
15 3/4"	19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"											
12 15/16"	16 7/8"	20 13/16"	24 3/4"	28 11/16"	32 5/8"	36 9/16"	44 7/16"	52 5/16"	60 3/16"	68 1/16"											
12 15/16"	16 7/8"	20 13/16"	24 3/4"	28 11/16"	32 5/8"	36 9/16"	44 7/16"	52 5/16"	60 3/16"	68 1/16"											
16 3/4"	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"	PFP0404	PFP0504	PFP0604	PFP0704	PFP0804	PFP0904	PFP1004	PFP1204	PFP1404	PFP1604	PFP1804
20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"		PFP0405	PFP0505	PFP0605	PFP0705	PFP0805	PFP0905	PFP1005	PFP1205	PFP1405	PFP1605	PFP1805
24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"			PFP0406	PFP0506	PFP0606	PFP0706	PFP0806	PFP0906	PFP1006	PFP1206	PFP1406	PFP1606	PFP1806
32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"					PFP0408	PFP0508	PFP0608	PFP0708	PFP0808	PFP0908	PFP1008	PFP1208	PFP1408	PFP1608	PFP1808
36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"						PFP0409	PFP0509	PFP0609	PFP0709	PFP0809	PFP0909	PFP1009	PFP1209	PFP1409	PFP1609	PFP1809
40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"							PFP0410	PFP0510	PFP0610	PFP0710	PFP0810	PFP0910	PFP1010	PFP1210	PFP1410	PFP1610	PFP1810
48 1/4"	56 1/8"	64"	71 7/8"								PFP0412	PFP0512	PFP0612	PFP0712	PFP0812	PFP0912	PFP1012	PFP1212	PFP1412	PFP1612	PFP1812
56 1/8"	64"	71 7/8"									PFP0414	PFP0514	PFP0614	PFP0714	PFP0814	PFP0914	PFP1014	PFP1214	PFP1414	PFP1614	PFP1814
60 1/16"	68 1/16"										PFP0415	PFP0515	PFP0615	PFP0715	PFP0815	PFP0915	PFP1015	PFP1215	PFP1415	PFP1615	PFP1815
64"	71 7/8"										PFP0416	PFP0516	PFP0616	PFP0716	PFP0816	PFP0916	PFP1016	PFP1216	PFP1416	PFP1616	PFP1816
71 7/8"											PFP0418	PFP0518	PFP0618	PFP0718	PFP0818	PFP0918	PFP1018	PFP1218	PFP1418	PFP1618	
77 3/4"											PFP0419	PFP0519	PFP0619	PFP0719	PFP0819						

Egress Note:

- Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).

		16 3/4" [425]	20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]
		15 3/4" [400]	19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	63" [1600]	70 7/8" [1800]
		12 15/16" [328.5]	16 7/8" [428.5]	20 13/16" [528.5]	24 3/4" [628.5]	28 11/16" [728.5]	32 5/8" [828.5]	36 9/16" [928.5]	44 7/16" [1128.5]	52 5/16" [1328.5]	60 3/16" [1528.5]	68 1/16" [1728.5]
OPENING	FRAME	GLASS										
16 3/4" [425]	15 3/4" [400]	PFP0404	PFP0504	PFP0604	PFP0704	PFP0804	PFP0904	PFP1004	PFP1204	PFP1404	PFP1604	PFP1804
20 11/16" [525]	19 11/16" [500]	PFP0405	PFP0505	PFP0605	PFP0705	PFP0805	PFP0905	PFP1005	PFP1205	PFP1405	PFP1605	PFP1805
24 5/8" [625]	23 5/8" [600]	PFP0406	PFP0506	PFP0606	PFP0706	PFP0806	PFP0906	PFP1006	PFP1206	PFP1406	PFP1606	PFP1806
32 1/2" [825]	31 1/2" [800]	PFP0408	PFP0508	PFP0608	PFP0708	PFP0808	PFP0908	PFP1008	PFP1208	PFP1408	PFP1608	PFP1808
36 7/16" [925]	35 7/16" [900]	PFP0409	PFP0509	PFP0609	PFP0709	PFP0809	PFP0909	PFP1009	PFP1209	PFP1409	PFP1609	PFP1809
40 3/8" [1025]	39 3/8" [1000]	PFP0410	PFP0510	PFP0610	PFP0710	PFP0810	PFP0910	PFP1010	PFP1210	PFP1410	PFP1610	PFP1810
48 1/4" [1225]	47 1/4" [1200]	PFP0412	PFP0512	PFP0612	PFP0712	PFP0812	PFP0912	PFP1012	PFP1212	PFP1412	PFP1612	PFP1812
56 1/8" [1425]	55 1/8" [1400]	PFP0414	PFP0514	PFP0614	PFP0714	PFP0814	PFP0914	PFP1014	PFP1214	PFP1414	PFP1614	PFP1814
60 1/16" [1525]	59 1/16" [1500]	PFP0415	PFP0515	PFP0615	PFP0715	PFP0815	PFP0915	PFP1015	PFP1215	PFP1415	PFP1615	PFP1815
64" [1625]	63" [1600]	PFP0416	PFP0516	PFP0616	PFP0716	PFP0816	PFP0916	PFP1016	PFP1216	PFP1416	PFP1616	PFP1816
71 7/8" [1825]	70 7/8" [1800]	PFP0418	PFP0518	PFP0618	PFP0718	PFP0818	PFP0918	PFP1018	PFP1218	PFP1418	PFP1618	
77 3/4" [1975]	76 3/4" [1950]	PFP041950	PFP051950	PFP061950	PFP071950	PFP081950						

Egress Note:

Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).

E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).

L = Operating unit comes standard with a sash limiting device.

		16 3/4"	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"
		[425]	[525]	[625]	[725]	[825]	[925]	[1025]	[1225]	[1425]	[1625]	[1825]
		15 3/4"	19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"
		[400]	[500]	[600]	[700]	[800]	[900]	[1000]	[1200]	[1400]	[1600]	[1800]
		12 15/16"	16 7/8"	20 13/16"	24 3/4"	28 11/16"	32 5/8"	36 9/16"	44 7/16"	52 5/16"	60 3/16"	68 1/16"
		[328.5]	[428.5]	[528.5]	[628.5]	[728.5]	[828.5]	[928.5]	[1128.5]	[1328.5]	[1528.5]	[1728.5]
OPENING	FRAME	GLASS										
16 3/4"	15 3/4"											
20 11/16"	19 11/16"											
24 5/8"	23 5/8"											
32 1/2"	31 1/2"											
36 7/16"	35 7/16"											
40 3/8"	39 3/8"											
48 1/4"	47 1/4"											
56 1/8"	55 1/8"											
60 1/16"	59 1/16"											
64"	63"											
71 7/8"	70 7/8"											
77 3/4"	76 3/4"											

Gress Note:

- Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).
- L = Operating unit comes standard with a sash limiting device.

		16 3/4"	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"		
		[425]	[525]	[625]	[725]	[825]	[925]	[1025]	[1225]	[1425]	[1625]	[1825]		
		15 3/4"	19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"		
		[400]	[500]	[600]	[700]	[800]	[900]	[1000]	[1200]	[1400]	[1600]	[1800]		
		12 15/16"	16 7/8"	20 13/16"	24 3/4"	28 11/16"	32 5/8"	36 9/16"	44 7/16"	52 5/16"	60 3/16"	68 1/16"		
		[328.5]	[428.5]	[528.5]	[628.5]	[728.5]	[828.5]	[928.5]	[1128.5]	[1328.5]	[1528.5]	[1728.5]		
OPENING	FRAME	GLASS	16 3/4"	PFP0404	PFP0504	PFP0604	PFP0704	PFP0804	PFP0904	PFP1004	PFP1204	PFP1404	PFP1604	PFP1804
			20 11/16"	PFP0405	PFP0505	PFP0605	PFP0705	PFP0805	PFP0905	PFP1005	PFP1205	PFP1405	PFP1605	PFP1805
			24 5/8"	PFP0406	PFP0506	PFP0606	PFP0706	PFP0806	PFP0906	PFP1006	PFP1206	PFP1406	PFP1606	PFP1806
			28 9/16"	PFP0408	PFP0508	PFP0608	PFP0708	PFP0808	PFP0908	PFP1008	PFP1208	PFP1408	PFP1608	PFP1808
			32 1/2"	PFP0409	PFP0509	PFP0609	PFP0709	PFP0809	PFP0909	PFP1009	PFP1209	PFP1409	PFP1609	PFP1809
			36 7/16"	PFP0410	PFP0510	PFP0610	PFP0710	PFP0810	PFP0910	PFP1010	PFP1210	PFP1410	PFP1610	PFP1810
			40 3/8"	PFP0412	PFP0512	PFP0612	PFP0712	PFP0812	PFP0912	PFP1012	PFP1212	PFP1412	PFP1612	PFP1812
			48 1/4"	PFP0414	PFP0514	PFP0614	PFP0714	PFP0814	PFP0914	PFP1014	PFP1214	PFP1414	PFP1614	PFP1814
			56 1/8"	PFP0415	PFP0515	PFP0615	PFP0715	PFP0815	PFP0915	PFP1015	PFP1215	PFP1415	PFP1615	PFP1815
			64"	PFP0416	PFP0516	PFP0616	PFP0716	PFP0816	PFP0916	PFP1016	PFP1216	PFP1416	PFP1616	PFP1816
71 7/8"	PFP0418	PFP0518	PFP0618	PFP0718	PFP0818	PFP0918	PFP1018	PFP1218	PFP1418	PFP1618				
77 3/4"	PFP041950	PFP051950	PFP061950	PFP071950	PFP081950									

Egress Note:

- Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).
- E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).
- E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).
- L = Operating unit comes standard with a sash limiting device.