

		24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	44 5/16" [1125]	48 1/4" [1225]	
		23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	43 5/16" [1100]	47 1/4" [1200]	
		20" [508.6]	23 15/16" [608.6]	27 7/8" [708.6]	31 31/16" [808.6]	35 3/4" [908.6]	39 11/16" [1008.6]	43 5/8" [1108.6]	FIXED UNIT
		18 11/16" [475.3]	22 5/8" [575.3]	26 9/16" [675.3]	30 1/2" [775.3]	34 7/16" [875.3]	38 3/8" [975.3]	42 5/16" [1075.3]	OPERATING UNIT
OPENING	36 7/16" [925]								
	40 3/8" [1025]								
	48 1/4" [1225]								
	56 1/8" [1425]								
	60 1/16" [1525]								
	64" [1625]								
	71 7/8" [1825]								
	77 3/4" [1975]								
	84" [2125]								
	90" [2275]								
FRAME	35 7/16" [900]								
	39 3/8" [1000]								
	47 1/4" [1200]								
	55 1/8" [1400]								
	59 1/16" [1500]								
	63" [1600]								
	70 7/8" [1800]								
	76 3/4" [1950]								
	83" [2100]								
	89" [2250]								
GLASS	15 5/16" [389.6]								
	17 5/16" [439.6]								
	21 1/4" [539.6]								
	25 3/16" [639.6]								
	27 1/8" [689.6]								
	29 1/8" [739.6]								
	33 1/16" [839.6]								
	36" [914.6]								
	42" [1066.8]								
	48" [1219.0]								

Egress Note:

Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm)..

E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).

E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).

		24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	44 5/16" [1125]	48 1/4" [1225]	
OPENING		23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	43 5/16" [1100]	47 1/4" [1200]	
FRAME		20" [508.6]	23 15/16" [608.6]	27 7/8" [708.6]	31 31/16" [808.6]	35 3/4" [908.6]	39 11/16" [1008.6]	43 5/8" [1108.6]	FIXED UNIT
GLASS		18 11/16" [475.3]	22 5/8" [575.3]	26 9/16" [675.3]	30 1/2" [775.3]	34 7/16" [875.3]	38 3/8" [975.3]	42 5/16" [1075.3]	OPERATING UNIT

FIXED UNIT	OPERATING UNIT	OPERATING OR FIXED UNITS
36 7/16" [925]	35 7/16" [900]	15 5/16" [389.6]
40 3/8" [1025]	39 3/8" [1000]	17 5/16" [439.6]
48 1/4" [1225]	47 1/4" [1200]	21 1/4" [539.6]
56 1/8" [1425]	55 1/8" [1400]	25 3/16" [639.6]
60 1/16" [1525]	59 1/16" [1500]	27 1/8" [689.6]
64" [1625]	63" [1600]	29 1/8" [739.6]
71 7/8" [1825]	70 7/8" [1800]	33 1/16" [839.6]
77 3/4" [1975]	76 3/4" [1950]	36" [914.6]
		36" [914.6]

PSH0609	PSH0709	PSH0809	PSH0909	PSH1009	PSH1109		
PSH0610	PSH0710	PSH0818	PSH0910	PSH1010	PSH1110		
PSH0612	PSH0712	PSH0812	PSH0912 Ec	PSH1012 Ec	PSH1112 Ec	PSH1212 Ec	
PSH0614	PSH0714	PSH0814 Ec	PSH0914 Ec	PSH1014 Ec	PSH1114 Ec	PSH1214 Ec	
PSH0615	PSH0715	PSH0815 Ec	PSH0915 Ec	PSH1015 Ec	PSH1115 Ec	PSH1215 Ec	
PSH0616	PSH0716 Ec	PSH0816 Ec	PSH0916 E1	PSH1016 E2	PSH1116 E2	PSH1216 E2	
PSH0618 Ec	PSH0718 Ec	PSH0818 E1	PSH0918 E2	PSH1018 E2	PSH1118 E2	PSH1218 E2	
PSH061950 Ec	PSH071950 Ec	PSH081950 E1	PSH091950 E2	PSH101950 E2	PSH111950 E2		

Egress Note:

Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm)..

E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).

E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).

		24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	44 5/16" [1125]	48 1/4" [1225]	
		23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	43 5/16" [1100]	47 1/4" [1200]	
		20" [508.6]	23 15/16" [608.6]	27 7/8" [708.6]	31 31/16" [808.6]	35 3/4" [908.6]	39 11/16" [1008.6]	43 5/8" [1108.6]	FIXED UNIT
		18 11/16" [475.3]	22 5/8" [575.3]	26 9/16" [675.3]	30 1/2" [775.3]	34 7/16" [875.3]	38 3/8" [975.3]	42 5/16" [1075.3]	OPERATING UNIT
OPENING	36 7/16" [925]								
	40 3/8" [1025]								
FRAME	48 1/4" [1225]								
	56 1/8" [1425]								
GLASS	60 1/16" [1525]								
	64" [1625]								
FIXED UNIT	71 7/8" [1825]								
	77 3/4" [1975]								
OPERATING UNIT	76 3/4" [1950]								
	36" [914.6]								
	36" [914.9]								

OPERATING OR FIXED UNITS

Egress Note:

Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm)..

E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).

E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).

		24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	44 5/16" [1125]	48 1/4" [1225]	
		23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	43 5/16" [1100]	47 1/4" [1200]	
		20" [508.6]	23 15/16" [608.6]	27 7/8" [708.6]	31 31/16" [808.6]	35 3/4" [908.6]	39 11/16" [1008.6]	43 5/8" [1108.6]	FIXED UNIT
		18 11/16" [475.3]	22 5/8" [575.3]	26 9/16" [675.3]	30 1/2" [775.3]	34 7/16" [875.3]	38 3/8" [975.3]	42 5/16" [1075.3]	OPERATING UNIT
OPENING	36 7/16" [925]								
	35 7/16" [900]								
FRAME	40 3/8" [1025]								
	39 3/8" [1000]								
GLASS	48 1/4" [1225]								
	47 1/4" [1200]								
FIXED UNIT	56 1/8" [1425]								
	55 1/8" [1400]								
OPERATING OR FIXED UNITS	60 1/16" [1525]								
	59 1/16" [1500]								
OPERATING OR FIXED UNITS	64" [1625]								
	63" [1600]								
OPERATING OR FIXED UNITS	71 7/8" [1825]								
	70 7/8" [1800]								
OPERATING OR FIXED UNITS	77 3/4" [1975]								
	76 3/4" [1950]								
OPERATING OR FIXED UNITS	36" [914.6]								
	36" [914.9]								

Egress Note:

Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm)..

E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).

E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).