

GOLDENVINYL 1000 SERIES
SINGLE SLIDER WINDOWS
STANDARD SIZES WITH NO GRILLE BARS


[illegible]

Egress Note:

Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).

E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).



SLIDER END VENTS

FEB 2022


		OPENING								
		FRAME								
FIXED UNIT	OPERATING UNIT	GLASS								
		28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]	
		27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	63" [1600]	70 7/8" [1800]	
		11 3/16" [284.3]	13 3/16" [334.3]	15 1/8" [384.3]	17 1/8" [434.3]	21 1/16" [534.3]	25" [634.3]	28 15/16" [734.3]	32 7/8" [834.3]	FIXED UNIT
		12 3/16" [310]	14 3/16" [360]	16 1/8" [410]	18 1/8" [460]	22 1/16" [560]	26" [660]	29 15/16" [760]	33 7/8" [860]	OPERATING UNIT
16 3/4" [425]	16 3/4" [400]	 PSS0704	 PSS0804	 PSS0904	 PSS1004	 PSS1204				
20 11/16" [525]	19 11/16" [500]	 PSS0705	 PSS0805	 PSS0905	 PSS1005	 PSS1205	 PSS1405	 PSS1605		
24 5/8" [625]	23 5/8" [600]	 PSS0706	 PSS0806	 PSS0906	 PSS1006	 PSS1206	 PSS1406	 PSS1606	 PSS1806	Ec
28 9/16" [725]	27 9/16" [700]	 PSS0707	 PSS0807	 PSS0907	 PSS1007	 PSS1207	 PSS1407	 PSS1607	 PSS1807	Ec
32 1/2" [825]	31 1/2" [800]	 PSS0708	 PSS0808	 PSS0908	 PSS1008	 PSS1208	 PSS1408	 PSS1608	 PSS1808	E2
36 7/16" [925]	35 7/16" [900]	 PSS0709	 PSS0809	 PSS0909	 PSS1009	 PSS1209	 PSS1409	 PSS1609	 PSS1809	E2
40 3/8" [1025]	39 3/8" [1000]	 PSS0710	 PSS0810	 PSS0910	 PSS1010	 PSS1210	 PSS1410	 PSS1610	 PSS1810	E2
48 1/4" [1225]	47 1/4" [1200]		 PSS0812	 PSS0912	 PSS1012	 PSS1212	 PSS1412	 PSS1612	 PSS1812	E2
60 1/16" [1525]	59 1/16" [1500]			 PSS0915	 PSS1015	 PSS1215	 PSS1415	 PSS1615	 PSS1815	E2

Egress Note:

Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).

E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).



SLIDER END VENTS

FEB 2022


		OPENING									
		FRAME									
		GLASS									
		28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]		
		27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	63" [1600]	70 7/8" [1800]		
		11 3/16" [284.3]	13 3/16" [334.3]	15 1/8" [384.3]	17 1/8" [434.3]	21 1/16" [534.3]	25" [634.3]	28 15/16" [734.3]	32 7/8" [834.3]	FIXED UNIT	
		12 3/16" [310]	14 3/16" [360]	16 1/8" [410]	18 1/8" [460]	22 1/16" [560]	26" [660]	29 15/16" [760]	33 7/8" [860]	OPERATING UNIT	
FIXED UNIT	16 3/4" [425]										
		PSS0704	PSS0804	PSS0904	PSS1004	PSS1204					
	20 11/16" [525]										
		PSS0705	PSS0805	PSS0905	PSS1005	PSS1205	PSS1405	PSS1605			
	24 5/8" [625]									Ec	
		PSS0706	PSS0806	PSS0906	PSS1006	PSS1206	PSS1406	PSS1606	PSS1806	Ec	
	28 9/16" [725]									Ec	
		PSS0707	PSS0807	PSS0907	PSS1007	PSS1207	PSS1407	PSS1607	PSS1807	Ec	
	32 1/2" [825]									E2	
		PSS0708	PSS0808	PSS0908	PSS1008	PSS1208	PSS1408	PSS1608	PSS1808	E2	
OPERATING UNIT	36 7/16" [925]									E2	
		PSS0709	PSS0809	PSS0909	PSS1009	PSS1209	PSS1409	PSS1609	PSS1809	E2	
	40 3/8" [1025]									E2	
		PSS0710	PSS0810	PSS0910	PSS1010	PSS1210	PSS1410	PSS1610	PSS1810	E2	
	48 1/4" [1225]									E2	
			PSS0812	PSS0912	PSS1012	PSS1212	PSS1412	PSS1612	PSS1812	E2	
	60 1/16" [1525]									E2	
				PSS0915	PSS1015	PSS1215	PSS1415	PSS1615	PSS1815	E2	
	50 1/16" [1500]										
	55 1/16" [1397.9]										
54 3/8" [1380.9]											

Egress Note:

Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

E1 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.0ft² (0.46m²).

E2 = Window has an individual, unobstructed open portion of no less than 20" (508mm) in width, 24" (610mm) in height and a minimum area of 5.7ft² (0.53m²).




FIXED PICTURE SINGLE SLIDER COMBINATIONS

SLIDER END VENTS

Egress Note:

FEB 2022

FEB 2022

FIXED PICTURE SINGLE SLIDER COMBINATIONS				
OPENING	FRAME	GLASS	FIXED UNIT	OPERATING UNIT
64"	63"	19 5/8"	40 3/8"	48 1/4"
[1625]	[1600]	[497.9]	[1025]	[1225]
71 7/8"	70 7/8"	18 5/16"	39 3/8"	56 1/8"
[1825]	[1800]	[480.9]	[1000]	[1400]
19 5/8"	18 5/16"	26"	17 1/8"	25"
[497.9]	[480.9]	[660]	[434.3]	[634.3]
19 5/8"	18 5/16"	29 15/16"	18 1/8"	32 7/8"
[497.9]	[480.9]	[760]	[460]	[834.3]
19 5/8"	18 5/16"	33 7/8"	18 1/8"	32 7/8"
[497.9]	[480.9]	[860]	[460]	[834.3]
19 5/8"	18 5/16"	68 1/16"	36 9/16"	60 3/16"
[497.9]	[480.9]	[1728.5]	[928.5]	[1528.5]
19 5/8"	18 5/16"	23 5/8"	PSSP1016	PSSP1216
[497.9]	[480.9]	[600]	PSSP1018	PSSP1218
19 5/8"	18 5/16"	23 5/8"	PSSP1416	PSSP1616
[497.9]	[480.9]	[600]	PSSP1418	PSSP1618
19 5/8"	18 5/16"	23 5/8"	PSSP1816	PSSP1818
[497.9]	[480.9]	[600]	PSSP1816	PSSP1818

SLIDER END VENTS				
OPENING	FRAME	GLASS	FIXED UNIT	OPERATING UNIT
71 7/8"	70 7/8"	34 1/4"	17 1/8"	18 1/8"
[1825]	[1800]	[870.7]	[410]	[460]
79 3/4"	78 3/4"	38 3/16"	18 1/8"	20 1/16"
[2025]	[2000]	[970.7]	[460]	[510]
87 5/8"	86 5/8"	42 1/8"	20 1/16"	22 1/16"
[2225]	[2200]	[1070.7]	[510]	[560]
95 1/2"	94 1/2"	46 1/16"	22 1/16"	24"
[2425]	[2400]	[1170.7]	[560]	[610]
103 3/8"	102 3/8"	50"	24"	
[2625]	[2600]	[1270.7]	[610]	
24 5/8"	23 5/8"	19 5/8"	PSEV1806	PSEV2012
[625]	[600]	[497.9]	PSEV1809	PSEV2009
36 7/16"	35 7/16"	31 1/16"	PSEV1810	PSEV2010
[925]	[900]	[797.9]	PSEV1812	PSEV2012
40 3/8"	39 3/8"	35 3/8"	PSEV1815	PSEV2015
[1025]	[1000]	[897.9]	PSEV2210	PSEV2215
48 1/4"	47 1/4"	43 1/4"	PSEV2212	PSEV2412
[1225]	[1200]	[1097.9]	PSEV2410	PSEV2415
59 1/16"	58 1/16"	55 1/16"	PSEV2606	PSEV2609
[1500]	[1500]	[1397.9]	PSEV2610	PSEV2612
60 1/16"	59 1/16"	55 1/16"	PSEV2615	
[1525]	[1500]	[1397.9]		

Egress Note:

Ec = Window meets the 2012 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).