

		16 3/4" [425]	20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]
		15 3/4" [400]	19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	63" [1600]	70 7/8" [1800]
		10 3/4" [273.4]	14 11/16" [373.4]	18 5/8" [473.4]	22 9/16" [573.4]	26 1/2" [673.4]	30 7/16" [773.4]	34 3/8" [873.4]	42 1/4" [1073.4]	50 1/8" [1273.4]	58" [1473.4]	65 7/8" [1673.4]
OPENING	FRAME	FIXED UNITS ONLY										
	GLASS											
16 3/4" [425]	10 3/4" [273.4]											
20 11/16" [525]	14 11/16" [373.4]											
24 5/8" [625]	18 5/8" [473.4]											
32 1/2" [825]	26 1/2" [673.4]					 Ec						
36 7/16" [925]	30 7/16" [773.4]					 Ec	 Ec					
40 3/8" [1025]	34 3/8" [873.4]				 Ec	 Ec	 Ec					
48 1/4" [1225]	42 1/4" [1073.4]				 Ec	 Ec	 Ec					
56 1/8" [1425]	50 1/8" [1273.4]				 Ec	 Ec	 Ec					
60 1/16" [1525]	54 1/16" [1373.4]				 Ec	 Ec	 Ec					
64" [1625]	58" [1473.4]				 Ec	 Ec	 Ec					
71 7/8" [1825]	65 7/8" [1673.4]				 Ec	 L	 L					
77 3/4" [1975]	71 13/16" [1823.4]				 Ec	 L	Egress Note: Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm). L = Operating unit comes standard with a sash limiting device.					
76 3/4" [1950]												
		PC041950	PC051950	PC061950	PC071950	PC081950						
		OPERATING OR FIXED UNITS										

Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

L = Operating unit comes standard with a sash limiting device.

		16 3/4"	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"	
		[425]	[525]	[625]	[725]	[825]	[925]	[1025]	[1225]	[1425]	[1625]	[1825]	
		15 3/4"	19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"	
		[400]	[500]	[600]	[700]	[800]	[900]	[1000]	[1200]	[1400]	[1600]	[1800]	
		10 3/4"	14 11/16"	18 5/8"	22 9/16"	26 1/2"	30 7/16"	34 3/8"	42 1/4"	50 1/8"	58"	65 7/8"	
		[273.4]	[373.4]	[473.4]	[573.4]	[673.4]	[773.4]	[873.4]	[1073.4]	[1273.4]	[1473.4]	[1673.4]	
OPENING	FRAME	FIXED UNITS ONLY											
		GLASS											
16 3/4"	10 3/4"												
20 11/16"	14 11/16"												
24 5/8"	18 5/8"												
32 1/2"	26 1/2"												
36 7/16"	30 7/16"												
40 3/8"	34 3/8"												
48 1/4"	42 1/4"												
56 1/8"	50 1/8"												
60 1/16"	54 1/16"												
64"	58"												
71 7/8"	65 7/8"												
77 3/4"	71 13/16"						Ecress Note: Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm). L = Operating unit comes standard with a sash limiting device.						
		PC041950	PC051950	PC061950	PC071950	PC081950							
OPERATING OR FIXED UNITS													

Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

L = Operating unit comes standard with a sash limiting device.

		16 3/4"	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"
		[425]	[525]	[625]	[725]	[825]	[925]	[1025]	[1225]	[1425]	[1625]	[1825]
		15 3/4"	19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"
		[400]	[500]	[600]	[700]	[800]	[900]	[1000]	[1200]	[1400]	[1600]	[1800]
		10 3/4"	14 11/16"	18 5/8"	22 9/16"	26 1/2"	30 7/16"	34 3/8"	42 1/4"	50 1/8"	58"	65 7/8"
		[273.4]	[373.4]	[473.4]	[573.4]	[673.4]	[773.4]	[873.4]	[1073.4]	[1273.4]	[1473.4]	[1673.4]
OPENING	FRAME	FIXED UNITS ONLY										
		GLASS										
16 3/4"	10 3/4"											
		PC0404	PC0504	PC0604	PC0704	PC0804	PC0904	PC1004	PC1204	PC1404	PC1604	PC1804
20 11/16"	14 11/16"											
		PC0405	PC0505	PC0605	PC0705	PC0805	PC0905	PC1005	PC1205	PC1405	PC1605	PC1805
24 5/8"	18 5/8"											
		PC0406	PC0506	PC0606	PC0706	PC0806	PC0906	PC1006	PC1206	PC1406	PC1606	PC1806
32 1/2"	26 1/2"											
		PC0408	PC0508	PC0608	PC0708	PC0808	PC0908	PC1008	PC1208	PC1408	PC1608	PC1808
36 7/16"	30 7/16"											
		PC0409	PC0509	PC0609	PC0709	Ec	Ec	PC1009	PC1209	PC1409	PC1609	PC1809
40 3/8"	34 3/8"											
		PC0410	PC0510	PC0610	Ec	Ec	Ec	PC1010	PC1210	PC1410	PC1610	PC1810
48 1/4"	42 1/4"											
		PC0412	PC0512	PC0612	Ec	Ec	Ec	PC1012	PC1212	PC1412	PC1612	PC1812
56 1/8"	50 1/8"											
		PC0414	PC0514	PC0614	Ec	Ec	Ec	PC1014	PC1214	PC1414	PC1614	PC1814
60 1/16"	54 1/16"											
		PC0415	PC0515	PC0615	Ec	Ec	Ec	PC1015	PC1215	PC1415	PC1615	PC1815
64"	58"											
		PC0416	PC0516	PC0616	Ec	Ec	Ec	PC1016	PC1216	PC1416	PC1616	PC1816
71 7/8"	65 7/8"											
		PC0418	PC0518	PC0618	Ec	L	L	PC1018	PC1218	PC1418	PC1618	PC1818
77 3/4"	71 13/16"											
		PC041950	PC051950	PC061950	PC071950	PC081950						

Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

L = Operating unit comes standard with a sash limiting device.

		16 3/4" [425]	20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]
		15 3/4" [400]	19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	63" [1600]	70 7/8" [1800]
		10 3/4" [273.4]	14 11/16" [373.4]	18 5/8" [473.4]	22 9/16" [573.4]	26 1/2" [673.4]	30 7/16" [773.4]	34 3/8" [873.4]	42 1/4" [1073.4]	50 1/8" [1273.4]	58" [1473.4]	65 7/8" [1673.4]
OPENING	FRAME	FIXED UNITS ONLY										
	GLASS											
16 3/4" [425]	10 3/4" [273.4]											
20 11/16" [525]	14 11/16" [373.4]											
24 5/8" [625]	18 5/8" [473.4]											
32 1/2" [825]	26 1/2" [673.4]					 Ec						
36 7/16" [925]	30 7/16" [773.4]					 Ec	 Ec					
40 3/8" [1025]	34 3/8" [873.4]				 Ec	 Ec	 Ec					
48 1/4" [1225]	42 1/4" [1073.4]				 Ec	 Ec	 Ec					
56 1/8" [1425]	50 1/8" [1273.4]				 Ec	 Ec	 Ec					
60 1/16" [1525]	54 1/16" [1373.4]				 Ec	 Ec	 Ec					
64" [1625]	58" [1473.4]				 Ec	 Ec	 Ec					
71 7/8" [1825]	65 7/8" [1673.4]				 Ec	 L	 L					
77 3/4" [1975]	71 13/16" [1823.4]				 Ec	 L						
PC SCALE: 1/8" = 1'-0"		OPERATING OR FIXED UNITS										
Egress Note: Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm). L = Operating unit comes standard with a sash limiting device.												

Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

L = Operating unit comes standard with a sash limiting device.