

OPENING		FRAME		GLASS		20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	44 5/16"	48 1/4"		
						[525]	[625]	[725]	[825]	[925]	[1025]	[1125]	[1225]		
						19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	43 5/16"	47 1/4"		
						[500]	[600]	[700]	[800]	[900]	[1000]	[1100]	[1200]		
						13 3/4"	17 11/16"	21 5/8"	25 9/16"	29 1/2"	33 7/16"	37 3/8"	41 5/16"	UPPER	
						[349.9]	[449.9]	[549.9]	[649.9]	[749.9]	[849.9]	[949.9]	[1049.9]	SASH	
						14 3/4"	18 11/16"	22 5/8"	26 9/16"	30 1/2"	34 7/16"	38 3/8"	42 5/16"	LOWER	
						[375.3]	[475.3]	[575.3]	[675.3]	[775.3]	[875.3]	[975.3]	[1075.3]	SASH	
36 7/16"	[925]	35 7/16"	[900]	14 11/16"	[373.4]										
						PDH0509	PDH0609	PDH0709	PDH0809	PDH0909	PDH1009	PDH1109			
															
						PDH0510	PDH0610	PDH0710	PDH0818	PDH0910	PDH1010	PDH1110			
											 Ec	 Ec	 Ec		
						PDH0512	PDH0612	PDH0712	PDH0812	PDH0912	PDH1012	PDH1112	PDH1212		
									 Ec	 Ec	 Ec	 Ec	 Ec		
						PDH0514	PDH0614	PDH0714	PDH0814	PDH0914	PDH1014	PDH1114	PDH1214		
									 Ec	 Ec	 Ec	 Ec	 Ec		
						PDH0515	PDH0615	PDH0715	PDH0815	PDH0915	PDH1015	PDH1115	PDH1215		
		 Ec	 Ec	 Ec	 Ec	 Ec	 Ec								
PDH0516	PDH0616	PDH0716	PDH0816	PDH0916	PDH1016	PDH1116	PDH1216								
		 Ec	 Ec	 Ec	 Ec	 Ec	 Ec								
PDH0518	PDH0618	PDH0718	PDH0818	PDH0918	PDH1018	PDH1118	PDH1218								
															
PDH061950	PDH071950	PDH081950	PDH091950	PDH101950	PDH111950										

Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

OPENING FRAME GLASS	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	44 5/16"	48 1/4"	
	[525]	[625]	[725]	[825]	[925]	[1025]	[1125]	[1225]	
	19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	43 5/16"	47 1/4"	
	[500]	[600]	[700]	[800]	[900]	[1000]	[1100]	[1200]	
	13 3/4"	17 11/16"	21 5/8"	25 9/16"	29 1/2"	33 7/16"	37 3/8"	41 5/16"	UPPER
	[349.9]	[449.9]	[549.9]	[649.9]	[749.9]	[849.9]	[949.9]	[1049.9]	SASH
	14 3/4"	18 11/16"	22 5/8"	26 9/16"	30 1/2"	34 7/16"	38 3/8"	42 5/16"	LOWER
	[375.3]	[475.3]	[575.3]	[675.3]	[775.3]	[875.3]	[975.3]	[1075.3]	SASH
36 7/16"									
	PDH0509	PDH0609	PDH0709	PDH0809	PDH0909	PDH1009	PDH1109		
40 3/8"									
	PDH0510	PDH0610	PDH0710	PDH0818	PDH0910	PDH1010	PDH1110		
48 1/4"						 Ec	 Ec	 Ec	
	PDH0512	PDH0612	PDH0712	PDH0812	PDH0912	PDH1012	PDH1112	PDH1212	
56 1/8"				 Ec	 Ec	 Ec	 Ec	 Ec	
	PDH0514	PDH0614	PDH0714	PDH0814	PDH0914	PDH1014	PDH1114	PDH1214	
60 1/16"				 Ec	 Ec	 Ec	 Ec	 Ec	
	PDH0515	PDH0615	PDH0715	PDH0815	PDH0915	PDH1015	PDH1115	PDH1215	
64"			 Ec	 Ec	 Ec	 Ec	 Ec	 Ec	
	PDH0516	PDH0616	PDH0716	PDH0816	PDH0916	PDH1016	PDH1116	PDH1216	
71 7/8"			 Ec	 Ec	 Ec	 Ec	 Ec	 Ec	
	PDH0518	PDH0618	PDH0718	PDH0818	PDH0918	PDH1018	PDH1118	PDH1218	
77 3/4"	 Ec	 Ec	 Ec	 Ec	 Ec	 Ec			
	PDH061950	PDH071950	PDH081950	PDH091950	PDH101950	PDH111950			

Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

		20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	44 5/16" [1125]	48 1/4" [1225]	
		19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	43 5/16" [1100]	47 1/4" [1200]	
OPENING	FRAME	13 3/4" [349.9]	17 11/16" [449.9]	21 5/8" [549.9]	25 9/16" [649.9]	29 1/2" [749.9]	33 7/16" [849.9]	37 3/8" [949.9]	41 5/16" [1049.9]	UPPER SASH
		14 3/4" [375.3]	18 11/16" [475.3]	22 5/8" [575.3]	26 9/16" [675.3]	30 1/2" [775.3]	34 7/16" [875.3]	38 3/8" [975.3]	42 5/16" [1075.3]	LOWER SASH
GLASS										
36 7/16" [925]	35 7/16" [900]									
40 3/8" [1025]	39 3/8" [1000]									
48 1/4" [1225]	47 1/4" [1200]									
56 1/8" [1425]	55 1/8" [1400]									
60 1/16" [1525]	59 1/16" [1500]									
64" [1625]	63" [1600]									
71 7/8" [1825]	70 7/8" [1800]									
77 3/4" [1975]	76 3/4" [1950]									

Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

OPENING FRAME GLASS	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	44 5/16"	48 1/4"		
	[525]	[625]	[725]	[825]	[925]	[1025]	[1125]	[1225]		
	19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	43 5/16"	47 1/4"		
	[500]	[600]	[700]	[800]	[900]	[1000]	[1100]	[1200]		
	13 3/4"	17 11/16"	21 5/8"	25 9/16"	29 1/2"	33 7/16"	37 3/8"	41 5/16"	UPPER	
	[349.9]	[449.9]	[549.9]	[649.9]	[749.9]	[849.9]	[949.9]	[1049.9]	SASH	
	14 3/4"	18 11/16"	22 5/8"	26 9/16"	30 1/2"	34 7/16"	38 3/8"	42 5/16"	LOWER	
	[375.9]	[475.9]	[575.9]	[675.9]	[775.9]	[875.9]	[975.9]	[1075.9]	SASH	
36 7/16"										
	PDH0509	PDH0609	PDH0709	PDH0809	PDH0909	PDH1009	PDH1109			
40 3/8"										
	PDH0510	PDH0610	PDH0710	PDH0818	PDH0910	PDH1010	PDH1110			
48 1/4"						 Ec	 Ec	 Ec		
	PDH0512	PDH0612	PDH0712	PDH0812	PDH0912	PDH1012	PDH1112	PDH1212		
56 1/8"				 Ec	 Ec	 Ec	 Ec	 Ec		
	PDH0514	PDH0614	PDH0714	PDH0814	PDH0914	PDH1014	PDH1114	PDH1214		
60 1/16"				 Ec	 Ec	 Ec	 Ec	 Ec		
	PDH0515	PDH0615	PDH0715	PDH0815	PDH0915	PDH1015	PDH1115	PDH1215		
64"			 Ec	 Ec	 Ec	 Ec	 Ec	 Ec		
	PDH0516	PDH0616	PDH0716	PDH0816	PDH0916	PDH1016	PDH1116	PDH1216		
71 7/8"			 Ec	 Ec	 Ec	 Ec	 Ec	 Ec		
	PDH0518	PDH0618	PDH0718	PDH0818	PDH0918	PDH1018	PDH1118	PDH1218		
77 3/4"	 Ec	 Ec	 Ec	 Ec	 Ec	 Ec				
	PDH061950	PDH071950	PDH081950	PDH091950	PDH101950	PDH111950				

Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).