











| <div> <div>OPENING</div> <div>FRAME</div> <div>GLASS</div> </div> |            | 28 9/16" | 32 1/2" | 36 7/16"  | 40 3/8"   | 48 1/4"    | 56 1/8"    | 64"        | 71 7/8"    |
|-------------------------------------------------------------------|------------|----------|---------|-----------|-----------|------------|------------|------------|------------|
|                                                                   |            | [725]    | [825]   | [925]     | [1025]    | [1225]     | [1425]     | [1625]     | [1825]     |
|                                                                   |            | 27 9/16" | 31 1/2" | 35 7/16"  | 39 3/8"   | 47 1/4"    | 55 1/8"    | 63"        | 70 7/8"    |
|                                                                   |            | [700]    | [800]   | [900]     | [1000]    | [1200]     | [1400]     | [1600]     | [1800]     |
|                                                                   |            | 10 3/4"  | 12 3/4" | 14 11/16" | 16 11/16" | 20 5/8"    | 24 9/16"   | 28 1/2"    | 32 7/16"   |
|                                                                   |            | [273.4]  | [323.4] | [373.4]   | [423.4]   | [523.4]    | [623.4]    | [723.4]    | [823.4]    |
| OPERATING UNITS                                                   | OUTER SASH | PDS0705  | PDS0805 | PDS0905   | PDS1005   | PDS1205    | PDS1405    |            |            |
|                                                                   | INNER SASH | PDS0706  | PDS0806 | PDS0906   | PDS1006   | PDS1206    | PDS1406    | PDS1606    | PDS1806 Ec |
|                                                                   | OUTER SASH | PDS0708  | PDS0808 | PDS0908   | PDS1008   | PDS1208    | PDS1408 Ec | PDS1608 Ec | PDS1808 Ec |
|                                                                   | INNER SASH | PDS0709  | PDS0809 | PDS0909   | PDS1009   | PDS1209 Ec | PDS1409 Ec | PDS1609 Ec | PDS1809 Ec |
|                                                                   | OUTER SASH | PDS0710  | PDS0810 | PDS0910   | PDS1010   | PDS1210 Ec | PDS1410 Ec | PDS1610 Ec | PDS1810 Ec |
|                                                                   | INNER SASH |          | PDS0812 | PDS0912   | PDS1012   | PDS1212 Ec | PDS1412 Ec | PDS1612 Ec | PDS1812 Ec |
|                                                                   | OUTER SASH |          |         | PDS0915   | PDS1015   | PDS1215 Ec | PDS1415 Ec | PDS1615 Ec | PDS1815 Ec |
|                                                                   | INNER SASH |          |         |           |           |            |            |            |            |
|                                                                   | OUTER SASH |          |         |           |           |            |            |            |            |
|                                                                   | INNER SASH |          |         |           |           |            |            |            |            |

**Egress Note:**

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft<sup>2</sup> (0.35m<sup>2</sup>) with no dimensions less than 15" (380mm).



GOLDENVINYL 1000 SERIES  
DOUBLE SLIDER COMBINATION WINDOWS  
STANDARD ELEVATIONS WITH NO GRILLE BARS

| OPENING<br>FRAME<br>GLASS |               | 40 3/8"<br>[1025]    | 48 1/4"<br>[1225]                                                                 | 56 1/8"<br>[1425]                                                                 | 64"<br>[1625]                                                                     | 71 7/8"<br>[1825]                                                                  |                                                                                     |                                                                                     |
|---------------------------|---------------|----------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                           |               | 39 3/8"<br>[1000]    | 47 1/4"<br>[1200]                                                                 | 55 1/8"<br>[1400]                                                                 | 63"<br>[1600]                                                                     | 70 7/8"<br>[1800]                                                                  |                                                                                     |                                                                                     |
|                           |               | 36 9/16"<br>[928.5]  | 44 11/16"<br>[1128.5]                                                             | 52 9/16"<br>[1328.5]                                                              | 60 7/16"<br>[1528.5]                                                              | 68 5/16"<br>[1728.5]                                                               | FIXED<br>PICTURE                                                                    |                                                                                     |
|                           |               | 16 11/16"<br>[423.4] | 20 5/8"<br>[523.4]                                                                | 24 9/16"<br>[623.4]                                                               | 28 1/2"<br>[723.4]                                                                | 32 7/16"<br>[823.4]                                                                | DOUBLE<br>SLIDER                                                                    |                                                                                     |
| FIXED<br>PICTURE          | OUTER<br>SASH | INNER<br>SASH        |  |  |  |  |  |  |
|                           |               |                      | PDSP1016                                                                          | PDSP1216                                                                          | PDSP1416                                                                          | PDSP1616                                                                           | PDSP1816                                                                            |                                                                                     |
| FIXED<br>PICTURE          | OUTER<br>SASH | INNER<br>SASH        |  |  |  |  |  |  |
|                           |               |                      | PDSP1018                                                                          | PDSP1218                                                                          | PDSP1418                                                                          | PDSP1618                                                                           | PDSP1818                                                                            |                                                                                     |

Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft<sup>2</sup> (0.35m<sup>2</sup>) with no dimensions less than 15" (380mm).


| <div> <div>OPENING</div> <div>FRAME</div> <div>GLASS</div> </div> |            | 28 9/16"                                                                                      | 32 1/2"                                                                                        | 36 7/16"                                                                                       | 40 3/8"                                                                                        | 48 1/4"                                                                                           | 56 1/8"                                                                                             | 64"                                                                                                 | 71 7/8"                                                                                             |
|-------------------------------------------------------------------|------------|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
|                                                                   |            | [725]                                                                                         | [825]                                                                                          | [925]                                                                                          | [1025]                                                                                         | [1225]                                                                                            | [1425]                                                                                              | [1625]                                                                                              | [1825]                                                                                              |
|                                                                   |            | 27 9/16"                                                                                      | 31 1/2"                                                                                        | 35 7/16"                                                                                       | 39 3/8"                                                                                        | 47 1/4"                                                                                           | 55 1/8"                                                                                             | 63"                                                                                                 | 70 7/8"                                                                                             |
|                                                                   |            | [700]                                                                                         | [800]                                                                                          | [900]                                                                                          | [1000]                                                                                         | [1200]                                                                                            | [1400]                                                                                              | [1600]                                                                                              | [1800]                                                                                              |
|                                                                   |            | 10 7/8"                                                                                       | 12 13/16"                                                                                      | 14 13/16"                                                                                      | 16 3/4"                                                                                        | 20 11/16"                                                                                         | 24 5/8"                                                                                             | 28 9/16"                                                                                            | 32 1/2"                                                                                             |
|                                                                   |            | [275.5]                                                                                       | [325.5]                                                                                        | [375.5]                                                                                        | [425.5]                                                                                        | [525.5]                                                                                           | [625.5]                                                                                             | [725.5]                                                                                             | [825.5]                                                                                             |
| OPERATING UNITS                                                   | OUTER SASH | <br>PDS0704  | <br>PDS0804   | <br>PDS0904   | <br>PDS1004   | <br>PDS1204      |                                                                                                     |                                                                                                     |                                                                                                     |
|                                                                   | INNER SASH | <br>PDS0705  | <br>PDS0805   | <br>PDS0905   | <br>PDS1005   | <br>PDS1205      | <br>PDS1405      |                                                                                                     |                                                                                                     |
|                                                                   | OUTER SASH | <br>PDS0706  | <br>PDS0806   | <br>PDS0906   | <br>PDS1006   | <br>PDS1206      | <br>PDS1406      | <br>PDS1606      | <br>PDS1806 Ec   |
|                                                                   | INNER SASH | <br>PDS0708  | <br>PDS0808   | <br>PDS0908   | <br>PDS1008   | <br>PDS1208      | <br>PDS1408 Ec   | <br>PDS1608 Ec   | <br>PDS1808 Ec   |
|                                                                   | OUTER SASH | <br>PDS0709  | <br>PDS0809   | <br>PDS0909   | <br>PDS1009   | <br>PDS1209 Ec   | <br>PDS1409 Ec   | <br>PDS1609 Ec   | <br>PDS1809 Ec   |
|                                                                   | INNER SASH | <br>PDS0710 | <br>PDS0810  | <br>PDS0910  | <br>PDS1010  | <br>PDS1210 Ec  | <br>PDS1410 Ec  | <br>PDS1610 Ec  | <br>PDS1810 Ec  |
|                                                                   | OUTER SASH |                                                                                               | <br>PDS0812 | <br>PDS0912 | <br>PDS1012 | <br>PDS1212 Ec | <br>PDS1412 Ec | <br>PDS1612 Ec | <br>PDS1812 Ec |
|                                                                   | INNER SASH |                                                                                               |                                                                                                | <br>PDS0915 | <br>PDS1015 | <br>PDS1215 Ec | <br>PDS1415 Ec | <br>PDS1615 Ec | <br>PDS1815 Ec |
|                                                                   | OUTER SASH |                                                                                               |                                                                                                |                                                                                                |                                                                                                |                                                                                                   |                                                                                                     |                                                                                                     |                                                                                                     |
|                                                                   | INNER SASH |                                                                                               |                                                                                                |                                                                                                |                                                                                                |                                                                                                   |                                                                                                     |                                                                                                     |                                                                                                     |

**Egress Note:**

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).



GOLDENVINYL 1000 SERIES  
DOUBLE SLIDER COMBINATION WINDOWS  
STANDARD ELEVATIONS WITH COLONIAL GRILLE BARS




Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft<sup>2</sup> (0.35m<sup>2</sup>) with no dimensions less than 15" (380mm).

| <div> <div>OPENING</div> <div>FRAME</div> <div>GLASS</div> </div> |           | 28 9/16"                                                                          | 32 1/2"                                                                             | 36 7/16"                                                                            | 40 3/8"                                                                             | 48 1/4"                                                                             | 56 1/8"                                                                              | 64"                                                                                   | 71 7/8"                                                                               |
|-------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                   |           | [725]                                                                             | [825]                                                                               | [925]                                                                               | [1025]                                                                              | [1225]                                                                              | [1425]                                                                               | [1625]                                                                                | [1825]                                                                                |
|                                                                   |           | 27 9/16"                                                                          | 31 1/2"                                                                             | 35 7/16"                                                                            | 39 3/8"                                                                             | 47 1/4"                                                                             | 55 1/8"                                                                              | 63"                                                                                   | 70 7/8"                                                                               |
|                                                                   |           | [700]                                                                             | [800]                                                                               | [900]                                                                               | [1000]                                                                              | [1200]                                                                              | [1400]                                                                               | [1600]                                                                                | [1800]                                                                                |
|                                                                   |           | 10 7/8"                                                                           | 12 13/16"                                                                           | 14 13/16"                                                                           | 16 3/4"                                                                             | 20 11/16"                                                                           | 24 5/8"                                                                              | 28 9/16"                                                                              | 32 1/2"                                                                               |
|                                                                   |           | [275.5]                                                                           | [325.5]                                                                             | [375.5]                                                                             | [425.5]                                                                             | [525.5]                                                                             | [625.5]                                                                              | [725.5]                                                                               | [825.5]                                                                               |
| OUTER<br>SASH                                                     | 16 3/4"   |  |    |    |    |    |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | [425]     | PDS0704                                                                           | PDS0804                                                                             | PDS0904                                                                             | PDS1004                                                                             | PDS1204                                                                             |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | 20 11/16" |  |    |    |    |    |    |                                                                                       |                                                                                       |
|                                                                   | [525]     | PDS0705                                                                           | PDS0805                                                                             | PDS0905                                                                             | PDS1005                                                                             | PDS1205                                                                             | PDS1405                                                                              |                                                                                       |                                                                                       |
|                                                                   | 24 5/8"   |  |    |    |    |    |    |    |    |
|                                                                   | [625]     | PDS0706                                                                           | PDS0806                                                                             | PDS0906                                                                             | PDS1006                                                                             | PDS1206                                                                             | PDS1406                                                                              | PDS1606                                                                               | PDS1806                                                                               |
|                                                                   | 23 5/8"   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | [600]     |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | 32 1/2"   |  |    |    |    |    |    |    |    |
|                                                                   | [825]     | PDS0708                                                                           | PDS0808                                                                             | PDS0908                                                                             | PDS1008                                                                             | PDS1208                                                                             | PDS1408                                                                              | PDS1608                                                                               | PDS1808                                                                               |
| INNER<br>SASH                                                     | 36 7/16"  |  |    |    |    |    |    |    |    |
|                                                                   | [925]     | PDS0709                                                                           | PDS0809                                                                             | PDS0909                                                                             | PDS1009                                                                             | PDS1209                                                                             | PDS1409                                                                              | PDS1609                                                                               | PDS1809                                                                               |
|                                                                   | 35 7/16"  |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | [900]     |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | 40 3/8"   |  |    |    |    |    |    |    |    |
|                                                                   | [1025]    | PDS0710                                                                           | PDS0810                                                                             | PDS0910                                                                             | PDS1010                                                                             | PDS1210                                                                             | PDS1410                                                                              | PDS1610                                                                               | PDS1810                                                                               |
|                                                                   | 39 3/8"   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | [1000]    |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | 48 1/4"   |                                                                                   |  |  |  |  |  |  |  |
|                                                                   | [1225]    |                                                                                   | PDS0812                                                                             | PDS0912                                                                             | PDS1012                                                                             | PDS1212                                                                             | PDS1412                                                                              | PDS1612                                                                               | PDS1812                                                                               |
| OPERATING UNITS                                                   | 47 1/4"   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | [1200]    |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | 41 5/16"  |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | [1050]    |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
| OPERATING UNITS                                                   | 59 1/16"  |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | [1500]    |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | 53 1/8"   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | [1350]    |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
| OPERATING UNITS                                                   | 60 1/16"  |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | [1525]    |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | 54 1/4"   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                                                                   | [1375]    |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |

**Egress Note:**

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft<sup>2</sup> (0.35m<sup>2</sup>) with no dimensions less than 15" (380mm).

JUL 2025

| OPENING<br>FRAME<br>GLASS |           | 28 9/16"                                                                          | 32 1/2"                                                                            | 36 7/16"                                                                            | 40 3/8"                                                                             | 48 1/4"                                                                             | 56 1/8"                                                                              | 64"                                                                                   | 71 7/8"                                                                               |
|---------------------------|-----------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                           |           | [725]                                                                             | [825]                                                                              | [925]                                                                               | [1025]                                                                              | [1225]                                                                              | [1425]                                                                               | [1625]                                                                                | [1825]                                                                                |
|                           |           | 27 9/16"                                                                          | 31 1/2"                                                                            | 35 7/16"                                                                            | 39 3/8"                                                                             | 47 1/4"                                                                             | 55 1/8"                                                                              | 63"                                                                                   | 70 7/8"                                                                               |
|                           |           | [700]                                                                             | [800]                                                                              | [900]                                                                               | [1000]                                                                              | [1200]                                                                              | [1400]                                                                               | [1600]                                                                                | [1800]                                                                                |
|                           |           | 10 7/8"                                                                           | 12 13/16"                                                                          | 14 13/16"                                                                           | 16 3/4"                                                                             | 20 11/16"                                                                           | 24 5/8"                                                                              | 28 9/16"                                                                              | 32 1/2"                                                                               |
|                           |           | [275.5]                                                                           | [325.5]                                                                            | [375.5]                                                                             | [425.5]                                                                             | [525.5]                                                                             | [625.5]                                                                              | [725.5]                                                                               | [825.5]                                                                               |
| OUTER<br>SASH             | 16 3/4"   |  |   |    |    |    |                                                                                      |                                                                                       |                                                                                       |
|                           | 20 11/16" |  |   |    |    |    |    |                                                                                       |                                                                                       |
|                           | 24 5/8"   |  |   |    |    |    |    |    |    |
|                           | 32 1/2"   |  |   |    |    |    |    |    |    |
|                           | 36 7/16"  |  |   |    |    |    |    |    |    |
|                           | 40 3/8"   |  |   |    |    |    |    |    |    |
|                           | 48 1/4"   |                                                                                   |  |   |   |   |   |   |   |
|                           | 59 1/16"  |                                                                                   |                                                                                    |  |  |  |  |  |  |
|                           | 60 1/16"  |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                           | 60 1/16"  |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
| INNER<br>SASH             | 53 1/8"   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|                           | 54 1/4"   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |


OPERATING UNITS

**Egress Note:**

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft<sup>2</sup> (0.35m<sup>2</sup>) with no dimensions less than 15" (380mm).



GOLDENVINYL 1000 SERIES  
DOUBLE SLIDER COMBINATION WINDOWS  
STANDARD ELEVATIONS WITH MUSKOKA GRILLE BARS



Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft<sup>2</sup> (0.35m<sup>2</sup>) with no dimensions less than 15" (380mm).