

OPENING		24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	44 5/16"	48 1/4"	
		[625]	[725]	[825]	[925]	[1025]	[1125]	[1225]	
FRAME		23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	43 5/16"	47 1/4"	
		[600]	[700]	[800]	[900]	[1000]	[1100]	[1200]	
GLASS		20"	23 15/16"	27 7/8"	31 31/16"	35 3/4"	39 11/16"	43 5/8"	FIXED UNIT
		[508.6]	[608.6]	[708.6]	[808.6]	[908.6]	[1008.6]	[1108.6]	OPERATING UNIT
		18 11/16"	22 5/8"	26 9/16"	30 1/2"	34 7/16"	38 3/8"	42 5/16"	
		[475.3]	[575.3]	[675.3]	[775.3]	[875.3]	[975.3]	[1075.3]	
FIXED UNIT	36 7/16"								
	40 3/8"								
	48 1/4"								
	56 1/8"								
	60 1/16"								
	64"								
	71 7/8"								
	77 3/4"								
OPERATING UNIT	36"								
	36"								

Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm)..

OPENING		24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	44 5/16"	48 1/4"	
		[625]	[725]	[825]	[925]	[1025]	[1125]	[1225]	
FRAME		23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	43 5/16"	47 1/4"	
		[600]	[700]	[800]	[900]	[1000]	[1100]	[1200]	
GLASS		20"	23 15/16"	27 7/8"	31 31/16"	35 3/4"	39 11/16"	43 5/8"	
		[508.6]	[608.6]	[708.6]	[808.6]	[908.6]	[1008.6]	[1108.6]	
		18 11/16"	22 5/8"	26 9/16"	30 1/2"	34 7/16"	38 3/8"	42 5/16"	
		[475.3]	[575.3]	[675.3]	[775.3]	[875.3]	[975.3]	[1075.3]	
FIXED UNIT	OPERATING UNIT	36 7/16"							
		[925]							
		35 7/16"							
		[900]							
		15 5/16"							
		[389.6]							
		17 5/16"							
		[439.6]							
		17 5/16"							
		[439.6]							
FIXED UNIT	OPERATING UNIT	40 3/8"							
		[1025]							
		39 3/8"							
		[1000]							
		17 5/16"							
		[439.6]							
		17 5/16"							
		[439.6]							
		17 5/16"							
		[439.6]							
FIXED UNIT	OPERATING UNIT	48 1/4"							
		[1225]							
		47 1/4"							
		[1200]							
		21 1/4"							
		[539.6]							
		21 1/4"							
		[539.6]							
		21 1/4"							
		[539.6]							
FIXED UNIT	OPERATING UNIT	56 1/8"							
		[1425]							
		55 1/8"							
		[1400]							
		25 3/16"							
		[639.6]							
		25 3/16"							
		[639.6]							
		25 3/16"							
		[639.6]							
FIXED UNIT	OPERATING UNIT	60 1/16"							
		[1525]							
		59 1/16"							
		[1500]							
		27 1/8"							
		[689.6]							
		27 1/8"							
		[689.6]							
		27 1/8"							
		[689.6]							
FIXED UNIT	OPERATING UNIT	64"							
		[1625]							
		63"							
		[1600]							
		29 1/8"							
		[739.6]							
		29 1/8"							
		[739.6]							
		29 1/8"							
		[739.6]							
FIXED UNIT	OPERATING UNIT	71 7/8"							
		[1825]							
		70 7/8"							
		[1800]							
		33 1/16"							
		[839.6]							
		33 1/16"							
		[839.6]							
		33 1/16"							
		[839.6]							
FIXED UNIT	OPERATING UNIT	77 3/4"							
		[1975]							
		76 3/4"							
		[1950]							
		36"							
		[914.6]							
		36"							
		[914.6]							
		36"							
		[914.6]							

Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm)..

OPENING		FRAME		GLASS		24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	44 5/16"	48 1/4"		
						[625]	[725]	[825]	[925]	[1025]	[1125]	[1225]		
						23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	43 5/16"	47 1/4"		
						[600]	[700]	[800]	[900]	[1000]	[1100]	[1200]		
						20"	23 15/16"	27 7/8"	31 31/16"	35 3/4"	39 11/16"	43 5/8"	FIXED UNIT	
						[508.6]	[608.6]	[708.6]	[808.6]	[908.6]	[1008.6]	[1108.6]		
						18 11/16"	22 5/8"	26 9/16"	30 1/2"	34 7/16"	38 3/8"	42 5/16"	OPERATING UNIT	
						[475.3]	[575.3]	[675.3]	[775.3]	[875.3]	[975.3]	[1075.3]		
FIXED UNIT	36 7/16"	OPERATING UNIT	15 5/16"											
	[925]		[389.6]											
	40 3/8"		17 5/16"											
	[1025]		[439.6]											
	48 1/4"		21 1/4"											
	[1225]		[539.6]											
	56 1/8"		25 3/16"											
	[1425]		[639.6]											
OPERATING UNIT	60 1/16"		27 1/8"											
	[1525]		[689.6]											
	64"		29 1/8"											
	[1625]		[739.6]											
	71 7/8"		33 1/16"											
	[1825]		[839.6]											
	77 3/4"		36"											
	[1975]		[914.6]											

OPENING		24 5/8"	28 9/16"	32 1/2"	36 7/16"	40 3/8"	44 5/16"	48 1/4"	
		[625]	[725]	[825]	[925]	[1025]	[1125]	[1225]	
FRAME		23 5/8"	27 9/16"	31 1/2"	35 7/16"	39 3/8"	43 5/16"	47 1/4"	
		[600]	[700]	[800]	[900]	[1000]	[1100]	[1200]	
GLASS		20"	23 15/16"	27 7/8"	31 31/16"	35 3/4"	39 11/16"	43 5/8"	FIXED UNIT
		[508.6]	[608.6]	[708.6]	[808.6]	[908.6]	[1008.6]	[1108.6]	OPERATING UNIT
		18 11/16"	22 5/8"	26 9/16"	30 1/2"	34 7/16"	38 3/8"	42 5/16"	
		[475.3]	[575.3]	[675.3]	[775.3]	[875.3]	[975.3]	[1075.3]	
FIXED UNIT	36 7/16"								
	40 3/8"								
	48 1/4"								
	56 1/8"								
	60 1/16"								
	64"								
	71 7/8"								
	77 3/4"								
OPERATING UNIT	35 7/16"								
	35 7/16"								

Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm)..