


OPENING FRAME GLASS		28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"	
		[725]	[825]	[925]	[1025]	[1225]	[1425]	[1625]	[1825]	
		27 9/16"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"	
		[700]	[800]	[900]	[1000]	[1200]	[1400]	[1600]	[1800]	
FIXED UNIT		11 3/16"	13 3/16"	15 1/8"	17 1/8"	21 1/16"	25"	28 15/16"	32 7/8"	FIXED UNIT
		[284.3]	[334.3]	[384.3]	[434.3]	[534.3]	[634.3]	[734.3]	[834.3]	
OPERATING UNIT		12 3/16"	14 3/16"	16 1/8"	18 1/8"	22 1/16"	26"	29 15/16"	33 7/8"	OPERATING UNIT
		[310]	[360]	[410]	[460]	[560]	[660]	[760]	[860]	
	16 3/4"	 PSS0704	 PSS0804	 PSS0904	 PSS1004	 PSS1204				
	20 11/16"	 PSS0705	 PSS0805	 PSS0905	 PSS1005	 PSS1205	 PSS1405	 PSS1605		
	24 5/8"	 PSS0706	 PSS0806	 PSS0906	 PSS1006	 PSS1206	 PSS1406	 PSS1606	 PSS1806	Ec
	28 9/16"	 PSS0707	 PSS0807	 PSS0907	 PSS1007	 PSS1207	 PSS1407	 PSS1607	 PSS1807	Ec
	32 1/2"	 PSS0708	 PSS0808	 PSS0908	 PSS1008	 PSS1208	 PSS1408	 PSS1608	 PSS1808	Ec
	36 7/16"	 PSS0709	 PSS0809	 PSS0909	 PSS1009	 PSS1209	 PSS1409	 PSS1609	 PSS1809	Ec
	40 3/8"	 PSS0710	 PSS0810	 PSS0910	 PSS1010	 PSS1210	 PSS1410	 PSS1610	 PSS1810	Ec
	48 1/4"		 PSS0812	 PSS0912	 PSS1012	 PSS1212	 PSS1412	 PSS1612	 PSS1812	Ec
	60 1/16"			 PSS0915	 PSS1015	 PSS1215	 PSS1415	 PSS1615	 PSS1815	Ec

Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).



SLIDER END VENTS

JUL 2025

OPENING FRAME GLASS		28 9/16"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"	
		[725]	[825]	[925]	[1025]	[1225]	[1425]	[1625]	[1825]	
		27 9/16"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"	
		[700]	[800]	[900]	[1000]	[1200]	[1400]	[1600]	[1800]	
FIXED UNIT		11 3/16"	13 3/16"	15 1/8"	17 1/8"	21 1/16"	25"	28 15/16"	32 7/8"	FIXED UNIT
		[284.3]	[334.3]	[384.3]	[434.3]	[534.3]	[634.3]	[734.3]	[834.3]	
OPERATING UNIT		12 3/16"	14 3/16"	16 1/8"	18 1/8"	22 1/16"	26"	29 15/16"	33 7/8"	OPERATING UNIT
		[310]	[360]	[410]	[460]	[560]	[660]	[760]	[860]	
	16 3/4"	 PSS0704	 PSS0804	 PSS0904	 PSS1004	 PSS1204				
	20 11/16"	 PSS0705	 PSS0805	 PSS0905	 PSS1005	 PSS1205	 PSS1405	 PSS1605		
	24 5/8"	 PSS0706	 PSS0806	 PSS0906	 PSS1006	 PSS1206	 PSS1406	 PSS1606	 PSS1806	Ec
	28 9/16"	 PSS0707	 PSS0807	 PSS0907	 PSS1007	 PSS1207	 PSS1407	 PSS1607	 PSS1807	Ec
	32 1/2"	 PSS0708	 PSS0808	 PSS0908	 PSS1008	 PSS1208	 PSS1408	 PSS1608	 PSS1808	Ec
	36 7/16"	 PSS0709	 PSS0809	 PSS0909	 PSS1009	 PSS1209	 PSS1409	 PSS1609	 PSS1809	Ec
	40 3/8"	 PSS0710	 PSS0810	 PSS0910	 PSS1010	 PSS1210	 PSS1410	 PSS1610	 PSS1810	Ec
	48 1/4"		 PSS0812	 PSS0912	 PSS1012	 PSS1212	 PSS1412	 PSS1612	 PSS1812	Ec
	60 1/16"			 PSS0915	 PSS1015	 PSS1215	 PSS1415	 PSS1615	 PSS1815	Ec

Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

					FIXED PICTURE SINGLE SLIDER COMBINATIONS	
OPENING FRAME GLASS	64"	63"	63"	63"	63"	
	71 7/8"	70 7/8"	70 7/8"	70 7/8"	70 7/8"	
	[1825]	[1800]	[1800]	[1800]	[1800]	
	19 5/8"	18 5/16"	18 5/16"	18 5/16"	18 5/16"	
	[497.9]	[480.9]	[480.9]	[480.9]	[480.9]	
FIXED UNIT OPERATING UNIT FIX PICTURE	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"	
	[1025]	[1225]	[1425]	[1625]	[1825]	
	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"	
	[1000]	[1200]	[1400]	[1600]	[1800]	
	17 1/8"	21 1/16"	25"	28 15/16"	32 7/8"	
	[434.3]	[534.3]	[634.3]	[734.3]	[834.3]	
FIXED UNIT OPERATING UNIT FIX PICTURE	18 1/8"	22 1/16"	26"	29 15/16"	33 7/8"	
	[460]	[560]	[660]	[760]	[860]	
	36 9/16"	44 7/16"	52 5/16"	60 3/16"	68 1/16"	
	[928.5]	[1128.5]	[1328.5]	[1528.5]	[1728.5]	
	19 5/8"	18 5/16"	18 5/16"	18 5/16"	18 5/16"	
	[497.9]	[480.9]	[480.9]	[480.9]	[480.9]	
FIXED UNIT OPERATING UNIT FIX PICTURE	PSSP1016	PSSP1216	PSSP1416	PSSP1616	PSSP1816	
	PSSP1018	PSSP1218	PSSP1418	PSSP1618	PSSP1818	
	PSSP1018	PSSP1218	PSSP1418	PSSP1618	PSSP1818	
	PSSP1018	PSSP1218	PSSP1418	PSSP1618	PSSP1818	
	PSSP1018	PSSP1218	PSSP1418	PSSP1618	PSSP1818	

SLIDER END VENTS

					SLIDER END VENTS	
OPENING FRAME GLASS	24 5/8"	23 5/8"	23 5/8"	23 5/8"	23 5/8"	
	36 7/16"	35 7/16"	35 7/16"	35 7/16"	35 7/16"	
	[925]	[900]	[900]	[900]	[900]	
	19 5/8"	19 5/8"	19 5/8"	19 5/8"	19 5/8"	
	[497.9]	[497.9]	[497.9]	[497.9]	[497.9]	
FIXED UNIT OPERATING UNIT	71 7/8"	79 3/4"	87 5/8"	95 1/2"	103 3/8"	
	[1825]	[2025]	[2225]	[2425]	[2625]	
	70 7/8"	78 3/4"	86 5/8"	94 1/2"	102 3/8"	
	[1800]	[2000]	[2200]	[2400]	[2600]	
	34 1/4"	38 3/16"	42 1/8"	46 1/16"	50"	
	[870.7]	[970.7]	[1070.7]	[1170.7]	[1270.7]	
FIXED UNIT OPERATING UNIT	17 1/8"	18 1/8"	20 1/16"	22 1/16"	24"	
	[410]	[460]	[510]	[560]	[610]	
	PSEV1806	PSEV2012	PSEV2206	PSEV2406	PSEV2606	
	PSEV1809	PSEV2009	PSEV2209	PSEV2409	PSEV2609	
	PSEV1810	PSEV2010	PSEV2210	PSEV2410	PSEV2610	
FIXED UNIT OPERATING UNIT	48 1/4"	47 1/4"	47 1/4"	47 1/4"	47 1/4"	
	[1225]	[1200]	[1200]	[1200]	[1200]	
	35 3/8"	35 3/8"	35 3/8"	35 3/8"	35 3/8"	
	[897.9]	[897.9]	[897.9]	[897.9]	[897.9]	
	PSEV1812	PSEV2012	PSEV2212	PSEV2412	PSEV2612	
FIXED UNIT OPERATING UNIT	60 1/16"	59 1/16"	59 1/16"	59 1/16"	59 1/16"	
	[1525]	[1500]	[1500]	[1500]	[1500]	
	55 1/16"	55 1/16"	55 1/16"	55 1/16"	55 1/16"	
	[1397.9]	[1397.9]	[1397.9]	[1397.9]	[1397.9]	
	PSEV1815	PSEV2015	PSEV2215	PSEV2415	PSEV2615	


Egress Note:


Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

		OPENING									
		28 9/16" [725]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]		
		27 9/16" [700]	31 1/2" [800]	35 7/16" [900]	39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	63" [1600]	70 7/8" [1800]		
FRAME	GLASS	11 3/16" [284.3]	13 3/16" [334.3]	15 1/8" [384.3]	17 1/8" [434.3]	21 1/16" [534.3]	25" [634.3]	28 15/16" [734.3]	32 7/8" [834.3]	FIXED UNIT	
		12 3/16" [310]	14 3/16" [360]	16 1/8" [410]	18 1/8" [460]	22 1/16" [560]	26" [660]	29 15/16" [760]	33 7/8" [860]		OPERATING UNIT
FIXED UNIT	16 3/4" [425]	 PSS0704	 PSS0804	 PSS0904	 PSS1004	 PSS1204					
	20 11/16" [525]	 PSS0705	 PSS0805	 PSS0905	 PSS1005	 PSS1205	 PSS1405	 PSS1605			
	24 5/8" [625]	 PSS0706	 PSS0806	 PSS0906	 PSS1006	 PSS1206	 PSS1406	 PSS1606	 PSS1806	Ec	
	28 9/16" [725]	 PSS0707	 PSS0807	 PSS0907	 PSS1007	 PSS1207	 PSS1407	 PSS1607	 PSS1807	Ec	
	32 1/2" [825]	 PSS0708	 PSS0808	 PSS0908	 PSS1008	 PSS1208	 PSS1408	 PSS1608	 PSS1808	Ec	
	36 7/16" [925]	 PSS0709	 PSS0809	 PSS0909	 PSS1009	 PSS1209	 PSS1409	 PSS1609	 PSS1809	Ec	
	40 3/8" [1025]	 PSS0710	 PSS0810	 PSS0910	 PSS1010	 PSS1210	 PSS1410	 PSS1610	 PSS1810	Ec	
	48 1/4" [1225]		 PSS0812	 PSS0912	 PSS1012	 PSS1212	 PSS1412	 PSS1612	 PSS1812	Ec	
	59 1/16" [1500]			 PSS0915	 PSS1015	 PSS1215	 PSS1415	 PSS1615	 PSS1815	Ec	
	60 1/16" [1525]										
OPERATING UNIT	11 1/16" [280.9]										
	15" [380.9]										

Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).



JUL 2025

FIXED PICTURE SINGLE SLIDER COMBINATIONS				
OPENING	FRAME	GLASS	FIXED UNIT	OPERATING UNIT
64"	63"	19 5/8"	40 3/8"	48 1/4"
[1625]	[1600]	[497.9]	[1025]	[1225]
71 7/8"	70 7/8"	18 5/16"	39 3/8"	56 1/8"
[1825]	[1800]	[480.9]	[1000]	[1400]
19 5/8"	18 5/16"	26"	17 1/8"	25"
[497.9]	[480.9]	[660]	[434.3]	[634.3]
19 5/8"	18 5/16"	29 15/16"	18 1/8"	32 7/8"
[497.9]	[480.9]	[760]	[460]	[834.3]
19 5/8"	18 5/16"	33 7/8"	18 1/8"	33 7/8"
[497.9]	[480.9]	[860]	[460]	[860]
19 5/8"	18 5/16"	68 1/16"	36 9/16"	60 3/16"
[497.9]	[480.9]	[1728.5]	[928.5]	[1528.5]
19 5/8"	18 5/16"	23 5/8"	PSSP1016	PSSP1216
[497.9]	[480.9]	[600]	PSSP1018	PSSP1218
19 5/8"	18 5/16"	23 5/8"	PSSP1416	PSSP1616
[497.9]	[480.9]	[600]	PSSP1418	PSSP1618
19 5/8"	18 5/16"	23 5/8"	PSSP1816	PSSP1818
[497.9]	[480.9]	[600]	PSSP1816	PSSP1818

SLIDER END VENTS

OPENING	FRAME	GLASS	FIXED UNIT	OPERATING UNIT
71 7/8"	70 7/8"	34 1/4"	17 1/8"	18 1/8"
[1825]	[1800]	[870.7]	[410]	[460]
79 3/4"	78 3/4"	38 3/16"	18 1/8"	20 1/16"
[2025]	[2000]	[970.7]	[460]	[510]
87 5/8"	86 5/8"	42 1/8"	20 1/16"	22 1/16"
[2225]	[2200]	[1070.7]	[510]	[560]
95 1/2"	94 1/2"	46 1/16"	22 1/16"	24"
[2425]	[2400]	[1170.7]	[560]	[610]
103 3/8"	102 3/8"	50"	24"	
[2625]	[2600]	[1270.7]		
24 5/8"	23 5/8"	19 5/8"	PSEV1806	PSEV2012
[625]	[600]	[497.9]	PSEV1809	PSEV2009
36 7/16"	35 7/16"	31 1/16"	PSEV1810	PSEV2010
[925]	[900]	[797.9]	PSEV1812	PSEV2012
40 3/8"	39 3/8"	35 3/8"	PSEV1815	PSEV2015
[1025]	[1000]	[897.9]	PSEV2210	PSEV2215
48 1/4"	47 1/4"	43 1/4"	PSEV2212	PSEV2412
[1225]	[1200]	[1097.9]	PSEV2410	PSEV2415
59 1/16"	58 1/16"	55 1/16"	PSEV2606	PSEV2609
[1500]	[1500]	[1397.9]	PSEV2610	PSEV2612
60 1/16"	59 1/16"	55 1/16"	PSEV2615	
[1525]	[1500]	[1397.9]		

Egress Note:

Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).