
























		16-3/4" [425]	20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]
OPENING		15 3/4" [400]	19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]
FRAME		11 1/8" [282]	15 1/16" [382]	19" [482]	22 15/16" [582]	26 7/8" [682]	30 13/16" [782]
GLASS							
		FIXED UNITS					
16 3/4"	20 11/16"						
20 11/16"	24 5/8"						
24 5/8"	28 9/16"						
28 9/16"	32 1/2"					 Ec	
32 1/2"	36 7/16"				 Ec	 Ec	 Ec
36 7/16"	40 3/8"			 Ec*	 Ec	 Ec	 Ec
40 3/8"	44 1/4"			 Ec*	 Ec*	 Ec	 Ec
44 1/4"	48 1/4"			 Ec*	 Ec*	 Ec	 Ec
48 1/4"	52 1/8"			 Ec*	 Ec*	 Ec	 Ec
52 1/8"	56 1/8"			 Ec*	 Ec*	 Ec	 Ec
56 1/8"	60 1/16"			 Ec*	 Ec*	 Ec	 Ec
60 1/16"	64"			 Ec*	 Ec*	 Ec	
64"	68"						
68"	72 7/8"						
72 7/8"	76 3/4"						
76 3/4"	80 1/2"						
80 1/2"	84 1/4"						
84 1/4"	88 1/4"						
88 1/4"	92 1/4"						
92 1/4"	96 1/4"						
96 1/4"	100 1/4"						
100 1/4"	104 1/4"						
104 1/4"	108 1/4"						
108 1/4"	112 1/4"						
112 1/4"	116 1/4"						
116 1/4"	120 1/4"						
120 1/4"	124 1/4"						
124 1/4"	128 1/4"						
128 1/4"	132 1/4"						
132 1/4"	136 1/4"						
136 1/4"	140 1/4"						
140 1/4"	144 1/4"						
144 1/4"	148 1/4"						
148 1/4"	152 1/4"						
152 1/4"	156 1/4"						
156 1/4"	160 1/4"						
160 1/4"	164 1/4"						
164 1/4"	168 1/4"						
168 1/4"	172 1/4"						
172 1/4"	176 1/4"						
176 1/4"	180 1/4"						
180 1/4"	184 1/4"						
184 1/4"	188 1/4"						
188 1/4"	192 1/4"						
192 1/4"	196 1/4"						
196 1/4"	200 1/4"						
200 1/4"	204 1/4"						
204 1/4"	208 1/4"						
208 1/4"	212 1/4"						
212 1/4"	216 1/4"						
216 1/4"	220 1/4"						
220 1/4"	224 1/4"						
224 1/4"	228 1/4"						
228 1/4"	232 1/4"						
232 1/4"	236 1/4"						
236 1/4"	240 1/4"						
240 1/4"	244 1/4"						
244 1/4"	248 1/4"						
248 1/4"	252 1/4"						
252 1/4"	256 1/4"						
256 1/4"	260 1/4"						
260 1/4"	264 1/4"						
264 1/4"	268 1/4"						
268 1/4"	272 1/4"						
272 1/4"	276 1/4"						
276 1/4"	280 1/4"						
280 1/4"	284 1/4"						
284 1/4"	288 1/4"						
288 1/4"	292 1/4"						
292 1/4"	296 1/4"						
296 1/4"	300 1/4"						
300 1/4"	304 1/4"						
304 1/4"	308 1/4"						
308 1/4"	312 1/4"						
312 1/4"	316 1/4"						
316 1/4"	320 1/4"						
320 1/4"	324 1/4"						
324 1/4"	328 1/4"						
328 1/4"	332 1/4"						
332 1/4"	336 1/4"						
336 1/4"	340 1/4"						
340 1/4"	344 1/4"						
344 1/4"	348 1/4"						
348 1/4"	352 1/4"						
352 1/4"	356 1/4"						
356 1/4"	360 1/4"						
360 1/4"	364 1/4"						
364 1/4"	368 1/4"						
368 1/4"	372 1/4"						
372 1/4"	376 1/4"						
376 1/4"	380 1/4"						
380 1/4"	384 1/4"						
384 1/4"	388 1/4"						
388 1/4"	392 1/4"						
392 1/4"	396 1/4"						
396 1/4"	400 1/4"						
400 1/4"	404 1/4"						
404 1/4"	408 1/4"						
408 1/4"	412 1/4"						
412 1/4"	416 1/4"						
416 1/4"	420 1/4"						
420 1/4"	424 1/4"						
424 1/4"	428 1/4"						
428 1/4"	432 1/4"						
432 1/4"	436 1/4"						
436 1/4"	440 1/4"						
440 1/4"	444 1/4"						
444 1/4"	448 1/4"						
448 1/4"	452 1/4"						
452 1/4"	456 1/4"						
456 1/4"	460 1/4"						
460 1/4"	464 1/4"						
464 1/4"	468 1/4"						
468 1/4"	472 1/4"						
472 1/4"	476 1/4"						
476 1/4"	480 1/4"						
480 1/4"	484 1/4"						
484 1/4"	488 1/4"						
488 1/4"	492 1/4"						
492 1/4"	496 1/4"						
496 1/4"	500 1/4"						
500 1/4"	504 1/4"						
504 1/4"	508 1/4"						
508 1/4"	512 1/4"						
512 1/4"	516 1/4"						
516 1/4"	520 1/4"						
520 1/4"	524 1/4"						
524 1/4"	528 1/4"						
528 1/4"	532 1/4"						
532 1/4"	536 1/4"						
536 1/4"	540 1/4"						
540 1/4"	544 1/4"						
544 1/4"	548 1/4"						
548 1/4"	552 1/4"						
552 1/4"	556 1/4"						
556 1/4"	560 1/4"						
560 1/4"	564 1/4"						
564 1/4"	568 1/4"						
568 1/4"	572 1/4"						
572 1/4"	576 1/4"						
576 1/4"	580 1/4"						
580 1/4"	584 1/4"						
584 1/4"	588 1/4"						
588 1/4"	592 1/4"						
592 1/4"	596 1/4"						

OPENING FRAME GLASS		40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]
		39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	63" [1600]	70 7/8" [1800]
		34 3/4" [882]	42 5/8" [1082]	50 1/2" [1282]	58 3/8" [1482]	66 1/4" [1682]
FIXED UNITS						
16 3/4" [425]	15 3/4" [400]	 WC1004	 WC1204	 WC1404	 WC1604	 WC1804
20 11/16" [525]	19 11/16" [500]	 WC1005	 WC1205	 WC1405	 WC1605	 WC1805
24 5/8" [625]	23 5/8" [600]	 WC1006	 WC1206	 WC1406	 WC1606	 WC1806
32 1/2" [825]	31 1/2" [800]	 WC1008	 WC1208	 WC1408	 WC1608	 WC1808
36 7/16" [925]	35 7/16" [900]	 WC1009	 WC1209	 WC1409	 WC1609	 WC1809
40 3/8" [1025]	39 3/8" [1000]	 WC1010	 WC1210	 WC1410	 WC1610	 WC1810
48 1/4" [1225]	47 1/4" [1200]	 WC1012	 WC1212	 WC1412	 WC1612	 WC1812
56 1/8" [1425]	55 1/8" [1400]	 WC1014	 WC1214	 WC1414	 WC1614	 WC1814
60 1/16" [1525]	59 1/16" [1500]	 WC1015	 WC1215	 WC1415	 WC1615	 WC1815
64" [1625]	63" [1600]	 WC1016	 WC1216	 WC1416	 WC1616	 WC1816
71 7/8" [1825]	70 7/8" [1800]	 WC1018	 WC1218	 WC1418	 WC1618	
77 3/4" [1970]	76 3/4" [1950]	 WC101950	 WC121950	 WC141950	 WC161950	

Brickmould Note:

To get the Brickmould Width,
add 3" (76mm) to Frame Width.

To get the Brickmould Height,
add 2-1/16" (52mm) to Frame Height.

OPENING	FIXED UNITS					
	16 3/4"	20 11/16"	24 5/8"	28 9/16"	32 1/2"	36 7/16"
	[425]	[525]	[625]	[725]	[825]	[925]
FRAME	15 3/4"	19 11/16"	23 5/8"	27 9/16"	31 1/2"	35 7/16"
	[400]	[500]	[600]	[700]	[800]	[900]
GLASS	11 1/8"	15 1/16"	19"	22 15/16"	26 7/8"	30 13/16"
	[282]	[382]	[482]	[582]	[682]	[782]
OPERATING OR FIXED UNITS	FIXED UNITS					
	WC0404	WC0504	WC0604	WC0704	WC0804	WC0904
	WC0405	WC0505	WC0605	WC0705	WC0805	WC0905
	WC0406	WC0506	WC0606	WC0706	WC0806	WC0906
	WC0408	WC0508	WC0608	WC0708	WC0808	WC0908
	WC0409	WC0509	WC0609	WC0709	WC0809	WC0909
	WC0410	WC0510	WC0610	WC0710	WC0810	WC0910
	WC0412	WC0512	WC0612	WC0712	WC0812	WC0912
	WC0414	WC0514	WC0614	WC0714	WC0814	WC0914
	WC0415	WC0515	WC0615	WC0715	WC0815	WC0915
	WC0416	WC0516	WC0616	WC0716	WC0816	WC0916
	WC0418	WC0518	WC0618	WC0718	WC0818	WC0918
	WC041950	WC051950	WC061950	WC071950	WC081950	WC091950

Egress Note:

















Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

* = The window will meet that egress requirement when the optional Egress Hinge is ordered on the window (the Egress Hinge will restrict the sash's opening to approximately 85°).

Brickmould Note:

To get the Brickmould Width, add 3" (76mm) to Frame Width.

To get the Brickmould Height, add 2-1/16" (52mm) to Frame Height.

		OPENING					FRAME					GLASS				
		40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]	39 3/8" [1000]	47 1/4" [1200]	55 1/8" [1400]	63" [1600]	70 7/8" [1800]	34 3/4" [882]	42 5/8" [1082]	50 1/2" [1282]	58 3/8" [1482]	66 1/4" [1682]
		FIXED UNITS														
		16 3/4" [425]	20 11/16" [525]	24 5/8" [625]	32 1/2" [825]	36 7/16" [925]	40 3/8" [1025]	48 1/4" [1225]	56 1/8" [1425]	64" [1625]	71 7/8" [1825]	77 3/4" [1970]	76 3/4" [1950]	71 5/8" [1819]		
	15 3/4" [400]															
	19 11/16" [500]															
	23 5/8" [600]															
	31 1/2" [800]															
	35 7/16" [900]															
	39 3/8" [1000]															
	47 1/4" [1200]															
	55 1/8" [1400]															
	59 1/16" [1500]															
	63" [1600]															
	57 13/16" [1469]															
	65 11/16" [1669]															

Brickmould Note:

To get the Brickmould Width,
add 3" (76mm) to Frame Width.

To get the Brickmould Height,
add 2-1/16" (52mm) to Frame Height.

		16-3/4" [425]	20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]
OPENING		15 3/4" [400]	19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]
FRAME		11 1/8" [282]	15 1/16" [382]	19" [482]	22 15/16" [582]	26 7/8" [682]	30 13/16" [782]
GLASS							
		FIXED UNITS					
OPERATING OR FIXED UNITS	16 3/4" [425]						
	20 11/16" [525]						
	24 5/8" [625]						
	32 1/2" [825]					 Ec	
	36 7/16" [925]				 Ec	 Ec	 Ec
	40 3/8" [1025]			 Ec*	 Ec	 Ec	 Ec
	48 1/4" [1225]			 Ec*	 Ec*	 Ec	 Ec
	56 1/8" [1425]			 Ec*	 Ec*	 Ec	 Ec
	60 1/16" [1525]			 Ec*	 Ec*	 Ec	 Ec
	64" [1625]			 Ec*	 Ec*	 Ec	 Ec
	71 7/8" [1825]			 Ec*	 Ec*	 Ec	 Ec
	77 3/4" [1970]			 Ec*	 Ec*	 Ec	 Ec
	76 3/4" [1950]			 Ec*	 Ec*	 Ec	 Ec
	71 5/8" [1819]			 Ec*	 Ec*	 Ec	 Ec
				 Ec*	 Ec*	 Ec	 Ec
				 Ec*	 Ec*	 Ec	 Ec
				 Ec*	 Ec*	 Ec	 Ec
				 Ec*	 Ec*	 Ec	 Ec
				 Ec*	 Ec*	 Ec	 Ec

Egress Note:





















Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

* = The window will meet that egress requirement when the optional Egress Hinge is ordered on the window (the Egress Hinge will restrict the sash's opening to approximately 85°).

Brickmould Note:

To get the Brickmould Width, add 3" (76mm) to Frame Width.

To get the Brickmould Height, add 2-1/16" (52mm) to Frame Height.

OPENING FRAME GLASS	40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"
	[1025]	[1225]	[1425]	[1625]	[1825]
	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"
	[1000]	[1200]	[1400]	[1600]	[1800]
	34 3/4"	42 5/8"	50 1/2"	58 3/8"	66 1/4"
	[882]	[1082]	[1282]	[1482]	[1682]
FIXED UNITS					
16 3/4"	 WC1004	 WC1204	 WC1404	 WC1604	 WC1804
20 11/16"	 WC1005	 WC1205	 WC1405	 WC1605	 WC1805
24 5/8"	 WC1006	 WC1206	 WC1406	 WC1606	 WC1806
32 1/2"	 WC1008	 WC1208	 WC1408	 WC1608	 WC1808
36 7/16"	 WC1009	 WC1209	 WC1409	 WC1609	 WC1809
40 3/8"	 WC1010	 WC1210	 WC1410	 WC1610	 WC1810
48 1/4"	 WC1012	 WC1212	 WC1412	 WC1612	 WC1812
56 1/8"	 WC1014	 WC1214	 WC1414	 WC1614	 WC1814
60 1/16"	 WC1015	 WC1215	 WC1415	 WC1615	 WC1815
64"	 WC1016	 WC1216	 WC1416	 WC1616	 WC1816
71 7/8"	 WC1018	 WC1218	 WC1418	 WC1618	
77 3/4"	 WC101950	 WC121950	 WC141950	 WC161950	

Brickmould Note:

To get the Brickmould Width,
add 3" (76mm) to Frame Width.

To get the Brickmould Height,
add 2-1/16" (52mm) to Frame Height.

		16-3/4" [425]	20 11/16" [525]	24 5/8" [625]	28 9/16" [725]	32 1/2" [825]	36 7/16" [925]
OPENING		15 3/4" [400]	19 11/16" [500]	23 5/8" [600]	27 9/16" [700]	31 1/2" [800]	35 7/16" [900]
FRAME		11 1/8" [282]	15 1/16" [382]	19" [482]	22 15/16" [582]	26 7/8" [682]	30 13/16" [782]
GLASS							
		FIXED UNITS					
OPERATING OR FIXED UNITS	16 3/4" [425]						
	20 11/16" [525]						
	24 5/8" [625]						
	32 1/2" [825]					 Ec	
	36 7/16" [925]				 Ec	 Ec	 Ec
	40 3/8" [1025]			 Ec*	 Ec	 Ec	 Ec
	48 1/4" [1225]			 Ec*	 Ec*	 Ec	 Ec
	56 1/8" [1425]			 Ec*	 Ec*	 Ec	 Ec
	60 1/16" [1525]			 Ec*	 Ec*	 Ec	 Ec
	64" [1625]			 Ec*	 Ec*	 Ec	 Ec
	71 7/8" [1825]			 Ec*	 Ec*	 Ec	 Ec
	77 3/4" [1970]			 Ec*	 Ec*	 Ec	 Ec
	76 3/4" [1950]			 Ec*	 Ec*	 Ec	 Ec
	71 5/8" [1819]			 Ec*	 Ec*	 Ec	 Ec
				 Ec*	 Ec*	 Ec	 Ec
				 Ec*	 Ec*	 Ec	 Ec
				 Ec*	 Ec*	 Ec	 Ec
				 Ec*	 Ec*	 Ec	 Ec
				 Ec*	 Ec*	 Ec	 Ec
				 Ec*	 Ec*	 Ec	 Ec
				 Ec*	 Ec*	 Ec	 Ec
				 Ec*	 Ec*	 Ec	 Ec

Egress Note:





















Ec = Window meets the 2024 Ontario Building Code where each such window shall provide an individual, unobstructed open portion having a minimum area of 3.8ft² (0.35m²) with no dimensions less than 15" (380mm).

* = The window will meet that egress requirement when the optional Egress Hinge is ordered on the window (the Egress Hinge will restrict the sash's opening to approximately 85°).

Brickmould Note:

To get the Brickmould Width, add 3" (76mm) to Frame Width.

To get the Brickmould Height, add 2-1/16" (52mm) to Frame Height.

		OPENING					FRAME					GLASS				
		40 3/8"	48 1/4"	56 1/8"	64"	71 7/8"	39 3/8"	47 1/4"	55 1/8"	63"	70 7/8"	34 3/4"	42 5/8"	50 1/2"	58 3/8"	66 1/4"
		[1025]	[1225]	[1425]	[1625]	[1825]	[1000]	[1200]	[1400]	[1600]	[1800]	[882]	[1082]	[1282]	[1482]	[1682]
		16 3/4"	20 11/16"	24 5/8"	32 1/2"	36 7/16"	40 3/8"	48 1/4"	56 1/8"	60 1/16"	64"	71 7/8"	76 3/4"	77 3/4"	76 3/4"	71 5/8"
		[425]	[525]	[625]	[825]	[925]	[1025]	[1225]	[1425]	[1525]	[1625]	[1825]	[1950]	[1970]	[1950]	[1819]
		15 3/4"	19 11/16"	23 5/8"	31 1/2"	35 7/16"	39 3/8"	47 1/4"	55 1/8"	59 1/16"	63"	70 7/8"	76 3/4"	76 3/4"	76 3/4"	71 5/8"
		[400]	[500]	[600]	[800]	[900]	[1000]	[1200]	[1400]	[1500]	[1600]	[1800]	[1950]	[1950]	[1950]	[1819]
		10 9/16"	14 1/2"	18 7/16"	26 5/16"	30 1/4"	34 3/16"	42 1/16"	49 15/16"	53 7/8"	57 13/16"	65 11/16"	71 5/8"	71 5/8"	71 5/8"	71 5/8"
		[289]	[369]	[469]	[669]	[769]	[869]	[1069]	[1269]	[1369]	[1469]	[1669]	[1819]	[1819]	[1819]	[1819]
FIXED UNITS																
																
		WC1004	WC1204	WC1404	WC1604	WC1804										
																
		WC1005	WC1205	WC1405	WC1605	WC1805										
																
		WC1006	WC1206	WC1406	WC1606	WC1806										
																
		WC1008	WC1208	WC1408	WC1608	WC1808										
																
		WC1009	WC1209	WC1409	WC1609	WC1809										
																
		WC1010	WC1210	WC1410	WC1610	WC1810										
																
		WC1012	WC1212	WC1412	WC1612	WC1812										
																
		WC1014	WC1214	WC1414	WC1614	WC1814										
																
		WC1015	WC1215	WC1415	WC1615	WC1815										
																
		WC1016	WC1216	WC1416	WC1616	WC1816										
																
		WC1018	WC1218	WC1418	WC1618											
																
		WC101950	WC121950	WC141950	WC161950											

Brickmould Note:

To get the Brickmould Width,
add 3" (76mm) to Frame Width.

To get the Brickmould Height,
add 2-1/16" (52mm) to Frame Height.